

2-2014

# AAC Intervention as an Immersion Model


Janet L. Dodd

*Chapman University*, [dodd@chapman.edu](mailto:dodd@chapman.edu)

Megan Gorey

*Chapman University*

Follow this and additional works at: [http://digitalcommons.chapman.edu/comm\\_science\\_articles](http://digitalcommons.chapman.edu/comm_science_articles)

 Part of the [Disability and Equity in Education Commons](#), [Special Education and Teaching Commons](#), [Speech and Rhetorical Studies Commons](#), and the [Speech Pathology and Audiology Commons](#)

---

## Recommended Citation

Dodd, J. L., & Gorey, M. (2014). AAC Intervention as an Immersion Model. *Communication Disorders Quarterly*, 35(2), 103–107.  
DOI: 10.1177/1525740113504242

This Article is brought to you for free and open access by the Communication Sciences and Disorders at Chapman University Digital Commons. It has been accepted for inclusion in Communication Sciences and Disorders Faculty Articles and Research by an authorized administrator of Chapman University Digital Commons. For more information, please contact [laughtin@chapman.edu](mailto:laughtin@chapman.edu).

---

# AAC Intervention as an Immersion Model

## **Comments**

This is a pre-copy-editing, author-produced PDF of an article accepted for publication in *Communication Disorders Quarterly*, volume 35, issue 2, in 2014 following peer review. The definitive publisher-authenticated version is available online at DOI: [10.1177/1525740113504242](https://doi.org/10.1177/1525740113504242).

## **Copyright**

Hammill Institute on Disabilities

## AAC Intervention as an Immersion Model

Augmentative and alternative communication (AAC) based interventions support individuals with complex communication needs (CCN) in becoming effective and efficient communicators. However, there is often a disconnect between language models, communication opportunities, and desired intervention outcomes in the intervention process. This paper outlines a service delivery model that unites these elements of intervention. The social theory of language acquisition provides the foundation of this immersion model (Paul & Norbury, 2012; Pence & Justice, 2013) while adaptations of indirect language stimulation strategies create (Beukelman & Mirenda, 2013; Paul & Norbury, 2012) the support system necessary to develop an independent and functional communicator. The model described in this article may be replicated or modified to meet the needs of individuals in any classroom or intervention setting.

*Keywords: augmentative and alternative communication, complex communication needs, intervention model*

The core intent of pairing individuals with complex communication needs (CCN) with an augmentative and/or alternative form of communication (AAC) is to provide them means to communicate and actively participate in life's events (ASHA, 2004). Language is the vehicle for conveying the essence of these events. For typically developing children, the acquisition of language is a rapid and seemingly effortless and organic process, which occurs naturally by being immersed in the language one is learning (Langdon, 2008). "Children learn to comprehend and produce words that are frequently spoken to them" (Harris & Reichle, 2004, p. 155) and a word is only considered a part of a child's repertoire after they have used it in meaningful contexts multiple times (Gray, 2003; Pence & Justice, 2008). However for children learning to use AAC as a means of communication there is a separation between the expectations of learning their AAC language, that is the language represented on their device, and the presented learning opportunities, or the experiences that encourage the use of language.

Often, familiar and unfamiliar communication partners use an oral language system with an individual learning an AAC based language. In a sense, this dichotomy requires the AAC user to "code switch" between a verbally symbolic language system and a visually symbolic language system. Since the AAC learner does not possess a solid language foundation in either system there is often a breakdown in his or her understanding and use of symbolic communication. These breakdowns lead to negative responses in the AAC learner, such as frustration and passivity, which may impact his or her learning.

AAC intervention is a venue to connect language exposure, communication opportunities, and desire intervention outcomes. The intervention model described in this article aims to provide intense language intervention services for children with complex communication needs (CCN) by creating an immersive language rich environment based on the child's AAC

language system. As a component of each students' extended school year (ESY) program, services provided beyond the regular school to students who might otherwise display a irrecoverable regression in skills as a result of an extended break (e.g. summer vacation) (IDEA, 2004), this alternative service delivery model provides an intensive AAC based intervention provided under the roués of "camp". Striving to emulate a summer camp experience, select students leave their special education classes for two weeks to attend camp. Campers are encouraged and supported in using their communication aids to participate in various camp themed activities including nature hikes, scavenger hunts, and arts and crafts. Each camper is paired with a graduate student clinician who serves as the camper's personal communication guide. The student clinician aims to escort the child with CCN towards the use and understanding of symbolic language; therefore, we like to refer to the child's trained partner as his or her communication guide.

The purpose of this paper is to delineate and describe this alternative service delivery model for children with CCN. This paper will discuss the planning and implementation of phases of the intervention process that must occur in order for successful implementation of this immersive service delivery model to occur. Preliminary investigations have shown that this approach is effective in increasing symbol use (e.g., use of symbols, number of symbols per message, range of communicative functions) in children with CCN (Dodd & Hagge, in prep; Dodd, Jekerle, & Marsden, 2011). The intervention process described in this article may be replicated or modified to meet the needs of individuals with CCN in any classroom or intervention setting.

### **AAC Intervention**

Adopting Schlosser, Koul and Costello's (2006) adaptation of Garlund & Björck-Åkesson's definition of intervention we recognize intervention as a series of intentional steps taken towards an identified goal. These intentional steps, referred to as phases, include activities related to assessment, intervention planning and ultimately implementation of the intervention itself. Intervention, particularly as it relates to AAC, must be viewed as a dynamic process -- constantly changing in response to the child's reaction to the intervention and the child's changing communication needs. While this article will focus on the planning and implementation phases of the intervention process, Table 1 provides an overview of the different components at each phase of the intervention process (Schlosser, Koul & Costello). The subsequent sections will provide a detailed description of each component of the intervention planning and intervention implementation phases.

Table 1

*Phases of the AAC Intervention Process*

Assessment	Intervention Planning	Intervention Implementation
Identification of current communication abilities	Vocabulary selection	Communication opportunities
Assessment of linguistic understanding	Symbol representation	Child centered approach
Assessment of physical abilities related to AAC use (e.g., fine/gross motor, visual	Symbol organization	Implementation of aided language stimulation techniques
	Communication aid selection	
	Environmental considerations	
	Support staff training	

---

acuity)

Intervention goals

Identification of

communication needs

### *Intervention Planning Phase*

The intervention planning phase is a critical period when deliberate consideration is given to decisions regarding the initial set of vocabulary and how that vocabulary will be represented and organized. It is during this phase when key stakeholders are trained about the philosophical foundation of the intervention approach and how to implement the intervention techniques and strategies. Intervention is customized based on the needs of the AAC user and begins with the identification of intended intervention outcomes. The following are examples of goals that would be characteristics of a child who would benefit from this type of intervention model:

After attending AAC Camp the AAC user will...

- Increase understanding of symbols
- Increase the total number of symbols used for communication
- Increase the number of symbols sequenced to create messages
- Expand the purposes for which they communicate (e.g., communicative functions)
- Increase frequency of initiations

*Vocabulary selection* is guided by two main purposes: the need to convey essential messages and the eventual development of language skills (Beukelman & Mirenda, 2013).

Words and phrases to convey essential messages are generally categorized according to specific environments (e.g., playground) or activities (e.g., circle time, arts and snack). Utilizing an environmental approach, coverage vocabulary is selected to allow the AAC user to communicate



basic wants and needs in specific communication environments (i.e., playground, circle time) and consists predominately of fringe vocabulary. Fringe vocabulary, also referred to as content or extended vocabulary (Hill & Romich, 2004), includes context specific words (e.g., snack-cookies, chips, juice, versus playground-slide, ball, swing), which are unique to an individual's interests and are directly influenced by the immediate environment and activity (Beukelman & Mirenda, 2013). A communication aid based primarily on fringe vocabulary leads the child towards using their aid primarily for the pragmatic function of requesting often restricting its use for other communicative purposes (e.g., commenting, sharing).

Taking a developmental perspective to vocabulary selection, we reflect on the fact that young children in the thralls of acquiring language use predominately core vocabulary (Banajee, DiCarlo, & Sticklen, 2003; Rescorla, Alley, & Christine, 2001). Core vocabulary terms are words that can be used universally across environments and activities to convey an array of communicative functions (Beukelman & Mirenda, 2013). Taking a developmental approach to vocabulary selection will provide the child with the means to communicate for purposes that extend beyond requesting. The initial vocabulary set of an emergent AAC user should consist predominately of core vocabulary to provide the child with a means to create novel sentence patterns and communicate for a variety of pragmatic functions (e.g., requesting, recurrence, negation, sharing). A well-chosen set of core vocabulary terms can easily be combined to serve a variety of communicative functions while fringe vocabulary may impose unexpected restrictions.

*Symbol Representation:* Once a vocabulary set has been carefully chosen the *symbol representation* must be decided on (e.g., PCS™, real photos) and organized on the child's communication aid. To foster the child's acquisition of language, it is helpful to choose symbols that are consistent throughout the child's environment. It can be confusing to the child to have

one set of symbols on his or her communication aid (e.g., SymbolStix®) and a different set of symbols used within the classroom (e.g., PCS™). Furthermore, when choosing a representing icon it is important to consider its application. Choosing an icon with a general or universal representation (e.g., “turn” represented with an icon of an arrow) enables the child to consider its use for a variety of functions rather than one specific to its iconicity (e.g., “turn” represented with an icon of turning a page of a book) (Beukelman & Mirenda, 2013). To promote the flexible use of core vocabulary to create novel messages it is important that each word be individually represented. As the child’s communication abilities develop his or her system will enable them to create more novel and complex messages.

*Communication Aid Selection:* The focus of intervention is not on teaching vocabulary but rather teaching children how to use language, in this case picture symbols, for a broadening range of functions. Although not necessary, exploring the use of speech generating devices is strongly encouraged. Many of the children who benefit from this type of intervention tend to exhibit a low initiation rate. When using a non-voice generating system (e.g., communication board or book) communication attempts can be easily missed. Failing to respond to a communication attempt is a missed opportunity to reinforce the child’s bid for interaction and may decrease the likelihood of future initiation attempts or delay the occurrence of the next.

*Environmental Considerations:* Another aspect of the intervention planning phase involves creating a linguistically rich environment by providing multiple opportunities for the child to experience his or her AAC language throughout the day. This may be done by incorporating picture schedules, choice boards, adapted stories (Dodd, 2011), and the use of modeling boards. Adapting stories is one way to increase the child’s language exposure opportunities. In this technique, written story text is supplemented with iconic symbols consistent with the child’s

AAC language and development level. This gives the child an exposure to his or her AAC language within shared reading activities. Modeling boards are low tech communication boards which are readily available to augment oral language models provided throughout the day. Routine exposure to the child's AAC language is essential for creating an immersive environment.

*Training:* The last step of the intervention planning phase involves training key participants. Inform communication guides about the premise behind teaching core vocabulary versus fringe vocabulary. Teach communication guides how to apply familiar language stimulation techniques (e.g., self talk, modeling) through the use of aided language stimulation (ALgS) and augmented input techniques.

#### *Intervention Implementation Phase*

The primary objective of AAC intervention is to optimize an individual's skills in accessing and using his or her AAC aid (Binger, Berens, Kent-Walsh, & Taylor, 2008). Guiding the child in accessing his or her communicative aid and empowering them to create novel messages for a variety of functions leads the child towards independent, participatory communication. This may be accomplished by immersing the child in an environment rich in AAC language while simultaneously creating opportunities for them to use his or her communication aid.

A child-centered approach to AAC intervention creates and scaffolds natural opportunities utilizing the child's communication aid (Paul & Norbury, 2012). Following the child's lead enables the communication guide to contingently respond to all of the child's communicative attempts. This demonstrates to the child that his or her language has meaning while providing AAC language models.

Too often communication partners respond to a child's attempts with verbal language alone, which creates a disconnect between the language being acquired and the language being modeled. To connect the child's exposure to language and the language being acquired, oral speech is coupled with the language represented on the communication aid – a technique known as aided language stimulation or ALgS (Beukelman & Mirenda, 2013; Cafiero, 1998; Goossens', 1989). This technique provides a model of language for the child to internalize while showcasing AAC as a viable form of communication (Binger et al, 2008; Paul & Norbury, 2012). ALgS has been shown to increase a child's understanding of symbols and increase syntactic performance (Bruno & Trembath, 2006; Dada & Alant, 2009; Harris & Reichle, 2004). To be effective, Goossens', Jennins, and Kinahan recommend that ALgS be applied to 70% of interaction opportunities (as cited in Dada & Alant, 2009). Such inundation of ALgS is validated when we consider that typically developing children observe and listen to language for one to two years before producing verbal language.

Indirect language stimulating techniques such as self-talk, parallel talk, modeling, and expansion provide the communication guide various methods to expose the child with CCN to AAC language that is meaningful to his or her experience. These strategies in language intervention may easily be translated to AAC intervention:

Table 2

*Language stimulation techniques translated to AAC intervention*

<b>Strategy</b>	<b>Definition</b>	<b>Application to AAC</b>
Self-talk	Clinician describes his or her own actions as he or she engages in	Communication guide pairs self-talk with ALgS to reinforce use of the

---

	parallel play with child.	targeted device.
Parallel talk	Clinician provides a running description of the child's actions.	Running description is provided utilizing ALgS. This strategy provides a model for the child to internalize (Paul & Norbury, 2012).
Modeling	Clinician provides an example of target production.	Communication guide provides an example of a novel, meaningful production using the targeted AAC device.
Expansion	Clinician repeats child's utterance with an additional word or phrase, which creates a more semantically or syntactically complete utterance.	Communication guide repeats child's production and adds symbols to the child's initial message to create a more syntactically complete message.

Another strategy vital to the process is the expectant delay. Expectant delays provide the child ample time to process and respond to a communication guide's bid for interaction (Binger et al, 2008). This can be a difficult technique to practice since most individuals have an innate desire to keep a conversation going at a typical rate; however, this is an important technique in working with the CCN population due to their specific language deficits and the time required to program AAC. Expectant delays combined with the listed intervention strategies provide children with CCN appropriate models of language as well as the opportunity to participate in communication with their AAC aid.

### **Clinical Implications**

Consistent with the Children and Youth version of the International Classification of Functioning, Disability, and Health framework (World Health Organization, 2007), the intervention program discussed in this paper is designed to facilitate an individual's participation by guiding that person to acquire skills and strategies in using his or her AAC aid effectively (ASHA, 2004). This is accomplished by utilizing natural interactions and experiences and immersing the child in his or her AAC language. The outlined program enhances successful communication and minimizes social barriers (e.g., language gap) by providing training and support to communication partners and guides. We encourage individuals to collaborate and to adapt the strategies discussed in this paper when developing an intervention program that meets the needs of individuals with CCN.

It is recommended that classroom instruction include the child's targeted AAC language to promote the child's understanding of the symbol and the referent. Many children with CCN are visual learners living in an auditory world so it is imperative that we enhance their learning potential by capitalizing on their strength (Beukelman & Mirenda, 2013). Beyond classroom instruction, one on one interaction with the child should utilize ALgS to promote the use of the communication aid and its language. The communication guide should sit next to the child to facilitate modeling and always focus on the communication rather than the AAC aid (Cumley & Wirkus, 2007). The communication team may determine other methods in how to immerse individuals with CNN in their targeted language to promote acquisition.

Considerations outlined in this paper infer the need of a high adult: student ratio, which may be done by enlisting paraprofessionals (e.g., SLPAs, student teachers). These paraprofessionals should be trained by the communication team in the strategies outlined and discussed in this paper. Above all, to create a successful experience everyone must commit to an

immersive program, which requires professionals and paraprofessionals to challenge themselves. Constant evaluation and adaptation regarding how we are guiding communication within this population, which is often viewed as difficult to teach, must occur in order to best serve them.

#### References

- American Speech-Language Hearing Association (2004). *Roles and responsibilities of speech-language pathologists with respect to augmentative and alternative communication: Technical report* [Technical Report]. Available from [www.asha.org/policy](http://www.asha.org/policy).
- Banajee, M., Dicarlo, C., & Stricklin, S. B. (2003). Core vocabulary determination for toddlers. *Augmentative and Alternative Communication, 19*(2), 67-73.
- Beukelman, D.R., & Mirenda, P. (2013). *Augmentative and alternative communication: Supporting children and adults with complex communication needs* (4th ed.). Baltimore, MD: Paul Brookes Publishing.
- Binger, C., Berens, J., Kent-Walsh, J., & Taylor, S. (2008). The effect of aided AAC interventions on AAC use, speech, and symbol gestures. *Seminars in Speech and Language 29*(2), 101-111.
- Bruno, J., & Trembath, D. (2006). Use of aided language stimulation to improve syntactic performance during a weeklong intervention program. *Augmentative and Alternative Communication, 22*(4), 300-313.
- Cafiero, J. (1998). Communication power for individuals with autism. *Focus on Autism and Other Developmental Disabilities, 13*, 113-121.
- Cumley, J., & Wirkus-Pallaske, M. (2007). *Creating communication environments (CCE)*. Wisconsin Assistive Technology Initiative, WI.
- Dada, S., & Alant, E. (2009). The effect of aided language stimulation on vocabulary

- acquisition in children with little or no functional speech. *American Journal of Speech-Language Pathology*, 18, 50-64.
- Dodd, J. L. (2011). Creating early literacy opportunities for children with complex communication needs. In M. F. Shaughnessy & K. Kleyn (Eds.), *Handbook of early childhood education*. Hauppauge, NY: Nova Science Publishers, Inc.
- Dodd, J. L., & Hagge, D. K. (2013). *AAC Camp as an Alternative School Based Service Delivery Model: A Retrospective Survey*. Manuscript in preparation.
- Dodd, J. L., Jekerle, R., & Marsden, C. (2011). *Progress monitoring strategies: Children's response to AAC intervention*. Poster presentation at the American Speech-Language-Hearing Association Annual Convention. San Diego, CA.
- Goossens', C. (1989). Aided communication intervention before assessment: A case study of a child with cerebral palsy. *AAC Augmentative and Alternative Communication*, 5, 14-26.
- Gray, S. (2003). Word-learning by preschoolers with specific language impairment: What predicts success? *Journal of Speech, Language, and Hearing Research*, 46, 56-57. doi: 10.1044/1092-4388(2003/005)
- Harris, M. D., & Reichle, J. (2004). The impact of aided language stimulation on symbol comprehension and production in children with moderate cognitive disabilities. *American Journal of Speech-Language Pathology*, 13, 155-167.
- Hill, K., & Romich, B. (N.D.) Core vocabulary and the AAC performance report. Augmentaitve and Alternatice Communication Institute. Retrieved from <http://www.aacinstitute.org/Resources/ProductsandServices/PeRT/CoreVocabularyAndTheAACPerformanceReport.html>
- Individuals with Disabilities Education Act, 20 U.S.C. § 1400 (2004).



- Langdon, H.W. (2008). *Assessment and Intervention for Communication Disorders in Culturally and Linguistically Diverse Populations*. Clifton Park, NY: Cengage.
- Paul, R., & Norbury, C.F. (2012). *Language Disorders from Infancy through Adolescence: Listening, speaking, reading, writing, and communicating* (4<sup>th</sup> Ed.). St. Louis, MO: Elsevier Mosby.
- Pence, K.L. & Justice, I.M. (2008). *Language development from theory to practice*. Upper Saddle River, NJ: Pearson.
- Rescorla, L., Alley, A., & Christine, J. B. (2001). Word frequencies in toddlers' lexicons. *Journal of Speech, Language, and Hearing Research, 44*(3). 598-609.
- Schlosser, R. W., Koul, R., & Costello, J. (2007). Asking well-built questions for evidence-based practice in augmentative and alternative communication. *Journal of Communication Disorders, 40*, 225-238.
- World Health Organization. (2007). ICF-CY, International Classification of Functioning, Disability, and Health: Children & Youth version. Geneva: World Health Organization.