

Chapman University

Chapman University Digital Commons

Kevin and Tam Ross Undergraduate Research
Prize

Leatherby Libraries

Spring 2021

1st Place Contest Entry: Psychogenic Non-epileptic Seizures Disorder: Treatment after the Diagnostic Odyssey

Heather Andrini

Chapman University, andrini@chapman.edu

Ashley Okhovat

Chapman University, okhovat@chapman.edu

Sydni Au Hoy

Chapman University, auhoy@chapman.edu

Follow this and additional works at: <https://digitalcommons.chapman.edu/undergraduateresearchprize>



Part of the [Biology Commons](#), [Mental Disorders Commons](#), [Other Psychiatry and Psychology Commons](#), and the [Psychological Phenomena and Processes Commons](#)

Recommended Citation

Andrini, Heather; Okhovat, Ashley; and Au Hoy, Sydni, "1st Place Contest Entry: Psychogenic Non-epileptic Seizures Disorder: Treatment after the Diagnostic Odyssey" (2021). *Kevin and Tam Ross Undergraduate Research Prize*. 28.

<https://digitalcommons.chapman.edu/undergraduateresearchprize/28>

This Contest Entry is brought to you for free and open access by the Leatherby Libraries at Chapman University Digital Commons. It has been accepted for inclusion in Kevin and Tam Ross Undergraduate Research Prize by an authorized administrator of Chapman University Digital Commons. For more information, please contact laughtin@chapman.edu.

Essay: Use of Library Resources

The first day of university is daunting for most people. For us, it was exceptionally intimidating because our First-Year Foundation Course (FFC 100) professor tasked us to solve a grand challenge in science with no research experience. As a group of women pursuing healthcare careers, we decided to investigate rare brain disorders. Now, we are entering our final year of college and have gained an extensive repertoire of research skills and experiences that we owe to this project. During these past three years, we practiced finding and evaluating information, authored a formal Institutional Review Board (IRB) application for human-subjects research that was supported by peer-reviewed literature, presented our results at a national conference, and are currently finalizing a case report on psychogenic non-epileptic seizures (PNES) disorder.

This project presented an opportunity for us, as undergraduate students, to learn strategies for conducting efficient and accurate research, supported by the many resources available through Chapman's Leatherby Libraries. For example, in FFC 100, we attended a library instruction session. Dr. Dechow, the science librarian, introduced us to various techniques for addressing key research questions and identifying appropriate sources. This especially applied to narrowing our topic from "rare brain disorders" to "PNES," as well as building a foundational understanding of key terms used in neuropsychiatry (e.g., "epilepsy"). Using library tools such as the "Research and Guides" and "Zotero Quick Start Guide," we formed a systematic approach to tackling the current body of literature on PNES and established a method of tracking the relevant literature, which we still use today.

At the end of our first semester, we found a patient participant, designed a study, and began authoring a human-subjects research application. Our goal was to construct a case report

that provides a new story from the patient's perspective. To start, we needed a solid foundation of the current literature on PNES before delivering a formal IRB project proposal, and with this new goal, it was imperative to find the best information in support of our study.

We sought to identify and critically analyze information by using the TRAAP method: timeliness, relevance, authority, accuracy, and purpose. For example, Leatherby Libraries' built-in filtering allowed us to refine our search to publications from 1990-present to obtain updated information on PNES. The Boolean search tool was exceptionally helpful in finding relevant articles because PNES has many different titles. Thus, we conducted searches with the parameters of "psychogenic non-epileptic seizures" AND "functional neurological disorder" AND "pseudoseizures." Additionally, we split our research into categories such as "diagnosis" and "treatment," which we used to filter the results for key topics. The following were two notable peer-reviewed PNES articles that we discovered and vetted using TRAAP criteria: "Closing the Major Gap in PNES Research: Finding a Home for a Borderland Disorder" and "Addressing Psychogenic Nonepileptic Seizures: Clinical Challenges." These articles were by neurologists Dr. Brien Smith from the OhioHealth Physician Group and Dr. Benjamin Tolchin from Yale University, respectively. To address authority, we used articles by medical, neurology, and psychology experts to ensure our information could be cross-referenced for accuracy. Finally, we used this information to successfully complete several literature reviews that reflected reliable information and sound evidence for our IRB proposal.

In our third semester, our IRB proposal was accepted and we set out on our next goal: collecting information from the participant and writing the case report. To accomplish this, we interviewed the participant and meticulously analyzed their medical documents, which continued into our fourth semester. After completing the Grand Challenge Initiatives program, we

continued our research and sought to incorporate an expert's knowledge to confirm our interpretation of the participant's medical information. We reached out to several PNES experts, some directly from the articles we had cited. Two of the experts we spoke with are still assisting us today, including Dr. Benjamin Tolchin and Dr. Juliana Lockman.

The resources provided by the Leatherby Libraries have been essential to our growth as researchers and significantly supported the progress of this case report. Participating in this research project has provided us a valuable learning experience and opportunity to engage in the technical and critical thinking skills required of conducting a successful project. Ultimately, we are hoping this case report reaches the PNES community and provides insight into a patient's perspective on the challenges of living with PNES and pursuing treatment. We will use this experience as a foundation for our future endeavours as we continue to pursue our own interests in medicine and scientific research. Furthermore, this project serves as one example of how undergraduate students may tackle an ambitious project and succeed through the efforts of careful planning and by leveraging the many resources available at Chapman University's Leatherby Libraries.

Research Summary: Psychogenic Non-epileptic Seizures Disorder

Our project follows the experiences of a single patient with psychogenic non-epileptic seizures (PNES) and documents her unusual story in the form of a case report. PNES are unusual occurrences with a physical manifestation generally caused by underlying psychological conditions (Perez and LaFrance 2016). Currently, PNES is present in the general population at an estimated 2 to 33 individuals per 100,000 (Benbadis and Allen Hauser 2000). PNES disorder is not well understood by the medical community and can be challenging to diagnose (Bodde *et al.* 2009; Smith 2014). Additionally, physical symptoms present in a range of unexpected movement, behaviors, and more (Reuber and Elger 2003). Therefore, effective treatment varies across individual cases, although the current standard treatment is cognitive behavioral therapy (CBT) (Smith 2014). However, PNES may also be associated with underlying psychological conditions, further complicating diagnosis and treatment (Baslet 2012). This project encompasses extensive research on the current understanding of PNES, boundaries to treatment, and presents the patient's perspective to raise awareness of this disorder.

In our case report, based on an extensive review of her medical records, we present the pathway to diagnosis and the subsequent treatment for a 44-year-old woman initially rushed to the emergency room after experiencing what would later be diagnosed as PNES. In the coming months, this patient experienced multiple PNES episodes a day that prevented her from working and performing routine tasks. Thus, she pursued conversation with five medical professionals, none of whom were experienced enough with PNES to provide effective guidance on treatment. Moreover, this patient simultaneously sought out a variety of treatment specialists who claimed to have adequate knowledge of PNES, but she ultimately ceased treatment. After five months of consulting specialists and exploring treatments such as CBT, biofeedback, hypnotherapy,

physical therapy, and more, the patient decided to continue PNES management techniques on her own.

To understand the patient's perspective of PNES, we pursued a structured interview. The patient was asked about her understanding of PNES as a diagnosis delivered by medical providers, her experiences with a diverse set of treatments, and her perspective on how to care for individuals with PNES. From the interview, we learned that a significant barrier to her treatment appeared to be a gap in communication from the provider about the justification for each treatment method. Furthermore, the patient adjusted her lifestyle to accommodate PNES episodes, which has contributed most to management of her condition. In addition, the patient believes widespread education on PNES within the general population and increased awareness among medical providers will better assist individuals who have the condition.

We present this case study in context with extensive research on current literature about PNES as a means of exploring the complexities of treating individuals with PNES. Ultimately, we suggest a path forward for explicit research into the patient's perspective on their experience with treatment that can be used to improve the prognosis for other PNES patients.

CSE Bibliography

- Aghoram R, Nair PP. 2019. Imaging in Psychogenic Nonepileptic Seizures: An Observational Study. *Indian Journal of Psychological Medicine*. 41(5):494–496.
doi:10.4103/IJPSYM.IJPSYM_487_18.
- Ali S, Jabeen S, Arain A, Wassef T, Ibrahim A. 2011. How to Use Your Clinical Judgment to Screen for and Diagnose Psychogenic Nonepileptic Seizures without Video Electroencephalogram. *Innov Clin Neurosci*. 8(1):36–42.
- Alsaadi TM, Thieman C, Shatzel A, Farias S. 2004. Video-EEG telemetry can be a crucial tool for neurologists experienced in epilepsy when diagnosing seizure disorders. *Seizure*. 13(1):32–34. doi:10.1016/S1059-1311(03)00072-4.
- Anderson DG, Damianova M, Hanekom S, Lucas M. 2017. A comparative retrospective exploration of the profiles of patients in South Africa diagnosed with epileptic and psychogenic non-epileptic seizures. *Epilepsy & Behavior*. 69:37–43.
doi:10.1016/j.yebeh.2017.01.005.
- Arain A, Tammaa M, Chaudhary F, Gill S, Yousuf S, Bangalore-Vittal N, Singh P, Jabeen S, Ali S, Song Y, et al. 2016. Communicating the diagnosis of psychogenic nonepileptic seizures: The patient perspective. *Journal of Clinical Neuroscience*. 28:67–70.
doi:10.1016/j.jocn.2015.10.030.
- Bahrami Z, Homayoun M, Asadi-Pooya AA. 2019. Why is psychogenic nonepileptic seizure diagnosis missed? A retrospective study. *Epilepsy & Behavior*. 97:135–137.
doi:10.1016/j.yebeh.2019.06.001.
- Bajaj MK, Sharma V, Barre VP. 2017. Cognitive behaviour therapy in the treatment of psychogenic non-epileptic seizures (PNES). 8(2):140–143.
- Baslet G. 2011. Psychogenic non-epileptic seizures: A model of their pathogenic mechanism. *Seizure*. 20(1):1–13. doi:10.1016/j.seizure.2010.10.032.
- Baslet G. 2012. Psychogenic nonepileptic seizures: a treatment review. What have we learned since the beginning of the millennium? *Neuropsychiatr Dis Treat*. 8:585–598.
doi:10.2147/NDT.S32301.
- Baxter S, Mayor R, Baird W, Brown R, Cock H, Howlett S, House A, Messina J, Smith P, Reuber M. 2012. Understanding patient perceptions following a psycho-educational

- intervention for psychogenic non-epileptic seizures. *Epilepsy & Behavior*. 23(4):487–493. doi:10.1016/j.yebeh.2011.12.002.
- Benbadis SR, Hauser WA. 2000. An estimate of the prevalence of psychogenic non-epileptic seizures. *Seizure - European Journal of Epilepsy*. 9(4):280–281. doi:10.1053/seiz.2000.0409.
- Bodde NMG, Brooks JL, Baker GA, Boon PAJM, Hendriksen JGM, Mulder OG, Aldenkamp AP. 2009. Psychogenic non-epileptic seizures—Definition, etiology, treatment and prognostic issues: A critical review. *Seizure*. 18(8):543–553. doi:10.1016/j.seizure.2009.06.006.
- Boesebeck F, Freermann S, Kellinghaus C, Evers S. 2010. Misdiagnosis of epileptic and non-epileptic seizures in a neurological intensive care unit. *Acta Neurologica Scandinavica*. 122(3):189–195. doi:10.1111/j.1600-0404.2009.01287.x.
- Bowman ES, Markand ON. 1996. Psychodynamics and psychiatric diagnoses of pseudoseizure subjects. *Am J Psychiatry*. 153(1):57–63. doi:10.1176/ajp.153.1.57.
- Brown RJ, Syed TU, Benbadis S, LaFrance WC, Reuber M. 2011. Psychogenic nonepileptic seizures. *Epilepsy Behav*. 22(1):85–93. doi:10.1016/j.yebeh.2011.02.016.
- Carton S, Thompson PJ, Duncan JS. 2003. Non-epileptic seizures: patients' understanding and reaction to the diagnosis and impact on outcome. *Seizure - European Journal of Epilepsy*. 12(5):287–294. doi:10.1016/S1059-1311(02)00290-X.
- Chen T, Giri M, Xia Z, Subedi YN, Li Y. 2017. Genetic and epigenetic mechanisms of epilepsy: a review. *NDT*. Volume 13:1841–1859. doi:10.2147/NDT.S142032.
- Cragar DE, Berry DTR, Fakhoury TA, Cibula JE, Schmitt FA. 2002. A Review of Diagnostic Techniques in the Differential Diagnosis of Epileptic and Nonepileptic Seizures. *Neuropsychol Rev*. 12(1):31–64. doi:10.1023/A:1015491123070.
- Devinsky O, Gazzola D, LaFrance Jr WC. 2011. Differentiating between nonepileptic and epileptic seizures. *Nature reviews Neurology*. 7:210–20. doi:10.1038/nrneurol.2011.24.
- Dickinson P, Looper KJ. 2012. Psychogenic nonepileptic seizures: A current overview. *Epilepsia*. 53(10):1679–1689. doi:10.1111/j.1528-1167.2012.03606.x.
- Driver-Dunckley E, Stonnington CM, Locke DEC, Noe K. 2011. Comparison of Psychogenic

Movement Disorders and Psychogenic Nonepileptic Seizures: Is Phenotype Clinically Important? *Psychosomatics*. 52(4):337–345. doi:10.1016/j.psym.2011.01.008.

El-Naggar H, Moloney P, Widdess-Walsh P, Kilbride R, Delanty N, Mullins G. 2017. Simultaneous occurrence of nonepileptic and epileptic seizures during a single period of in-patient video-electroencephalographic monitoring. *Epilepsia Open*. 2(4):467–471. doi:10.1002/epi4.12071.

Ettinger Alan B, Devinsky O, Weisbrot DM, Goyal A, Shashikumar S. 1999. Headaches and other pain symptoms among patients with psychogenic non-epileptic seizures. *Seizure*. 8(7):424–426. doi:10.1053/seiz.1999.0334.

Ettinger Alan B., Weisbrot DM, Nolan E, Devinsky O. 1999. Postictal symptoms help distinguish patients with epileptic seizures from those with non-epileptic seizures. *Seizure*. 8(3):149–151. doi:10.1053/seiz.1999.0270.

Feinstein A. 2011. Conversion disorder: advances in our understanding. *CMAJ*. 183(8):915–920. doi:10.1503/cmaj.110490.

Hall-Patch L, Brown R, House A, Howlett S, Kemp S, Lawton G, Mayor R, Smith P, Reuber M, for the NEST collaborators. 2010. Acceptability and effectiveness of a strategy for the communication of the diagnosis of psychogenic nonepileptic seizures. *Epilepsia*. 51(1):70–78. doi:10.1111/j.1528-1167.2009.02099.x.

Hauser RM, Henshall DC, Lubin FD. 2018. The Epigenetics of Epilepsy and Its Progression. *Neuroscientist*. 24(2):186–200. doi:10.1177/1073858417705840.

Helbig I, Heinzen EL, Mefford HC, the International League Against Epilepsy Genetics Commission. 2018. Genetic literacy series: Primer part 2-Paradigm shifts in epilepsy genetics. *Epilepsia*. 59(6):1138–1147. doi:10.1111/epi.14193.

Iriarte J, Parra J, Urrestarazu E, Kuyk J. 2003. Controversies in the diagnosis and management of psychogenic pseudoseizures. *Epilepsy & Behavior*. 4(3):354–359. doi:10.1016/S1525-5050(03)00113-6.

Jimenez XF, Bautista JF, Tesar GE, Fan Y. 2015. Diagnostic assessment and case formulation in psychogenic nonepileptic seizures: A pilot comparison of approaches. *Epilepsy & Behavior*. 45:164–168. doi:10.1016/j.yebeh.2015.02.001.

Karterud HN, Risør MB, Haavet OR. 2015. The impact of conveying the diagnosis when using a

- biopsychosocial approach: A qualitative study among adolescents and young adults with NES (non-epileptic seizures). *Seizure - European Journal of Epilepsy*. 24:107–113. doi:10.1016/j.seizure.2014.09.006.
- Kerr WT, Janio EA, Le JM, Hori JM, Patel AB, Gallardo NL, Baurjan J, Chau AM, D'Ambrosio SR, Cho AY, et al. 2016. Diagnostic delay in psychogenic seizures and the association with anti-seizure medication trials. *Seizure*. 40:123–126. doi:10.1016/j.seizure.2016.06.015.
- Kozłowska K, Chudleigh C, Cruz C, Lim M, McClure G, Savage B, Shah U, Cook A, Scher S, Carrive P, et al. 2018. Psychogenic non-epileptic seizures in children and adolescents: Part II – explanations to families, treatment, and group outcomes. *Clin Child Psychol Psychiatry*. 23(1):160–176. doi:10.1177/1359104517730116.
- Kutlubaev MA, Xu Y, Hackett ML, Stone J. 2018. Dual diagnosis of epilepsy and psychogenic nonepileptic seizures: Systematic review and meta-analysis of frequency, correlates, and outcomes. *Epilepsy & Behavior*. 89:70–78. doi:10.1016/j.yebeh.2018.10.010.
- Labudda K, Frauenheim M, Miller I, Schrecke M, Brandt C, Bien CG. 2020. Outcome of CBT-based multimodal psychotherapy in patients with psychogenic nonepileptic seizures: A prospective naturalistic study. *Epilepsy Behav*. 106:107029. doi:10.1016/j.yebeh.2020.107029.
- LaFrance WC, Baker GA, Duncan R, Goldstein LH, Reuber M. 2013. Minimum requirements for the diagnosis of psychogenic nonepileptic seizures: A staged approach. *Epilepsia*. 54(11):2005–2018. doi:10.1111/epi.12356.
- LaFrance WC, Devinsky O. 2002. Treatment of nonepileptic seizures. *Epilepsy Behav*. 3(5 Suppl):19–23. doi:10.1016/s1525-5069(02)00505-4.
- LaFrance WC, Reuber M, Goldstein LH. 2013. Management of psychogenic nonepileptic seizures. *Epilepsia*. 54(s1):53–67. doi:10.1111/epi.12106.
- Lesser RP. 2003. Treatment and Outcome of Psychogenic Nonepileptic Seizures. *Epilepsy Curr*. 3(6):198–200. doi:10.1046/j.1535-7597.2003.03601.x.
- Leventhal et al. - 1992 - Illness cognition Using common sense to understand.pdf.
Leventhal H, Diefenbach M, Leventhal EA. 1992. Illness cognition: Using common sense to understand treatment adherence and affect cognition interactions. *Cogn Ther Res*. 16(2):143–163. doi:10.1007/BF01173486.

- Libbon R, Gadbar J, Watson M, Rothberg B, Sillau S, Heru A, Strom L. 2019. The feasibility of a multidisciplinary group therapy clinic for the treatment of nonepileptic seizures. *Epilepsy & Behavior*. 98:117–123. doi:10.1016/j.yebeh.2019.06.032.
- Maggio JB, Ospina JP, Callahan J, Hunt AL, Stephen CD, Perez DL. 2019 Sep 30. Outpatient Physical Therapy for Functional Neurological Disorder: A Preliminary Feasibility and Naturalistic Outcome Study in a U.S. Cohort. *JNP.:appi.neuropsych*. doi:10.1176/appi.neuropsych.19030068.
- Martlew J, Pulman J, Marson AG. 2014. Psychological and behavioural treatments for adults with non-epileptic attack disorder. *Cochrane Database of Systematic Reviews*.(2). doi:10.1002/14651858.CD006370.pub2. [accessed 2021 Apr 8]. <https://www.cochranelibrary.com/cdsr/doi/10.1002/14651858.CD006370.pub2/full>.
- Mayo Clinic College of Medicine, Rochester, Minnesota, St. Louis E, Frey L, University of Colorado, Denver, Colorado, Britton J, Mayo Clinic College of Medicine, Rochester, Minnesota, Hopp J, University of Maryland, Baltimore, Maryland, Korb P, University of Colorado, Denver, Colorado, et al. 2016. *Electroencephalography (EEG): An Introductory Text and Atlas of Normal and Abnormal Findings in Adults, Children, and Infants*. American Epilepsy Society. [accessed 2021 Apr 30]. <https://www.ncbi.nlm.nih.gov/books/NBK390354/>.
- Myers L, Trobliger R, Bortnik K, Zeng R, Segal E, Lancman M. 2019. Dissociation and other clinical phenomena in youth with psychogenic non-epileptic seizures (PNES) compared to youth with epilepsy. *Seizure*. 70:49–55. doi:10.1016/j.seizure.2019.06.028.
- Myers L, Vaidya-Mathur U, Lancman M. 2017. Prolonged exposure therapy for the treatment of patients diagnosed with psychogenic non-epileptic seizures (PNES) and post-traumatic stress disorder (PTSD). *Epilepsy & Behavior*. 66:86–92. doi:10.1016/j.yebeh.2016.10.019.
- Myers L, Zandberg L. 2018. Prolonged Exposure Therapy for Comorbid Psychogenic Nonepileptic Seizures and Posttraumatic Stress Disorder. *Clinical Case Studies*. 17(1):3–20. doi:10.1177/1534650117741367.
- Naganur VD, Kusmakar S, Chen Z, Palaniswami MS, Kwan P, O'Brien TJ. 2019. The utility of an automated and ambulatory device for detecting and differentiating epileptic and psychogenic non-epileptic seizures. *Epilepsia Open*. 4(2):309–317. doi:10.1002/epi4.12327.

- Nicholson TRJ, Stone J, Kanaan RAA. 2011. Conversion disorder: a problematic diagnosis. *J Neurol Neurosurg Psychiatry*. 82(11):1267–1273. doi:10.1136/jnnp.2008.171306.
- Noachtar S, Rémi J. 2009. The role of EEG in epilepsy: A critical review. *Epilepsy & Behavior*. 15(1):22–33. doi:10.1016/j.yebeh.2009.02.035.
- Nuwer M. Assessment of digital EEG, quantitative EEG, and EEG brain mapping: :16.
- Oto M, Conway P, McGonigal A, Russell AJ, Duncan R. 2005. Gender differences in psychogenic non-epileptic seizures. *Seizure*. 14(1):33–39. doi:10.1016/j.seizure.2004.02.008.
- Panayiotopoulos CP. 2005. *Clinical Aspects of the Diagnosis of Epileptic Seizures and Epileptic Syndromes*. Bladon Medical Publishing. [accessed 2021 Jan 26]. <https://www.ncbi.nlm.nih.gov/books/NBK2609/>.
- Perez DL, LaFrance WC. 2016. Nonepileptic Seizures: An Updated Review. *CNS Spectr*. 21(3):239–246. doi:10.1017/S109285291600002X.
- Plug L, Sharrack B, Reuber M. 2009. Conversation analysis can help to distinguish between epilepsy and non-epileptic seizure disorders: A case comparison. *Seizure*. 18(1):43–50. doi:10.1016/j.seizure.2008.06.002.
- Rawlings GH, Brown I, Stone B, Reuber M. 2018. Written Accounts of Living With Epilepsy or Psychogenic Nonepileptic Seizures: A Thematic Comparison. *Qual Health Res*. 28(6):950–962. doi:10.1177/1049732317748897.
- Reuber M. 2009. The Etiology of Psychogenic Non-Epileptic Seizures: Toward a Biopsychosocial Model. *Neurologic Clinics*. 27(4):909–924. doi:10.1016/j.ncl.2009.06.004.
- Reuber M, Elger CE. 2003. Psychogenic nonepileptic seizures: review and update. *Epilepsy & Behavior*. 4(3):205–216. doi:10.1016/S1525-5050(03)00104-5.
- Reuber M., Fernández G, Bauer J, Helmstaedter C, Elger CE. 2002. Diagnostic delay in psychogenic nonepileptic seizures. *Neurology*. 58(3):493–495. doi:10.1212/WNL.58.3.493.
- Reuber Markus, Fernández G, Bauer J, Singh DD, Elger CE. 2002. Interictal EEG Abnormalities in Patients with Psychogenic Nonepileptic Seizures. *Epilepsia*. 43(9):1013–1020.

doi:<https://doi.org/10.1046/j.1528-1157.2002.52301.x>.

Reuber M, House AO. 2002. Treating patients with psychogenic non-epileptic seizures. *Current Opinion in Neurology*. 15(2):207.

Reuber M, Howlett S, Khan A, Grünewald RA. 2007. Non-Epileptic Seizures and Other Functional Neurological Symptoms: Predisposing, Precipitating, and Perpetuating Factors. *Psychosomatics*. 48(3):230–238. doi:10.1176/appi.psy.48.3.230.

Roberts R. 1998. Differential diagnosis of sleep disorders, non-epileptic attacks and epileptic seizures. *Current Opinion in Neurology*. 11(2):135.

Rossi PG, Parmeggiani A, Bach V, Santucci M, Visconti P. 1995. EEG features and epilepsy in patients with autism. *Brain and Development*. 17(3):169–174. doi:10.1016/0387-7604(95)00019-8.

Schwabe M, Howell SJ, Reuber M. 2007. Differential diagnosis of seizure disorders: A conversation analytic approach. *Social Science & Medicine*. 65(4):712–724. doi:10.1016/j.socscimed.2007.03.045.

Smith BJ. 2014. Closing the Major Gap in PNES Research: Finding a Home for a Borderland Disorder. *Epilepsy Currents*. 14(2):63–67. doi:10.5698/1535-7597-14.2.63.

Smith SJM. 2005. EEG in the diagnosis, classification, and management of patients with epilepsy. *Journal of Neurology, Neurosurgery & Psychiatry*. 76(suppl_2):ii2–ii7. doi:10.1136/jnnp.2005.069245.

Spence SJ, Schneider MT. 2009. The Role of Epilepsy and Epileptiform EEGs in Autism Spectrum Disorders. *Pediatr Res*. 65(6):599–606. doi:10.1203/PDR.0b013e31819e7168.

Stafstrom CE, Carmant L. 2015. Seizures and Epilepsy: An Overview for Neuroscientists. *Cold Spring Harb Perspect Med*. 5(6). doi:10.1101/cshperspect.a022426. [accessed 2020 May 4]. <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4448698/>.

Thompson R, Isaac C, Rowse G, Tooth C, Reuber M. 2009. What is it like to receive a diagnosis of nonepileptic seizures? *Epilepsy & Behavior*. 14:508–515. doi:10.1016/j.yebeh.2008.12.014.

de Timary P, Fouchet P, Sylin M, Indriets JP, de Barys T, Lefèbvre A, van Rijckevorsel K. 2002. Non-epileptic seizures: delayed diagnosis in patients presenting with

electroencephalographic (EEG) or clinical signs of epileptic seizures. *Seizure*. 11(3):193–197. doi:10.1053/seiz.2001.0617.

Tolchin B, Altalib H. 2019. Addressing Psychogenic Nonepileptic Seizures: Clinical Challenges. *Psychiatric Times*. 36–38(7):16.

Whitehead K, Kane N, Wardrope A, Kandler R, Reuber M. 2017. Proposal for best practice in the use of video-EEG when psychogenic non-epileptic seizures are a possible diagnosis. *Clinical Neurophysiology Practice*. 2:130–139. doi:10.1016/j.cnp.2017.06.002.

Worsely C, Whitehead K, Kandler R, Reuber M. 2011. Illness perceptions of health care workers in relation to epileptic and psychogenic nonepileptic seizures. *Epilepsy & Behavior*. 20(4):668–673. doi:10.1016/j.yebeh.2011.01.029.