

Physical Therapy Faculty Articles and Research

Physical Therapy

4-7-2021

Movement System Theory and Anatomical Competence: Threshold Concepts for Physical Therapist Anatomy Education

Melissa A. Carroll DeSales University

Alison McKenzie Chapman University, amckenzi@chapman.edu

Mary Tracy-Bee University of Detroit Mercy

Follow this and additional works at: https://digitalcommons.chapman.edu/pt_articles

Recommended Citation

Carroll, M.A., McKenzie, A. and Tracy-Bee, M. (2021), Movement System Theory and Anatomical Competence: Threshold Concepts for Physical Therapist Anatomy Education. *Anat Sci Educ., 15: 420-430.* https://doi.org/10.1002/ase.2083

This Article is brought to you for free and open access by the Physical Therapy at Chapman University Digital Commons. It has been accepted for inclusion in Physical Therapy Faculty Articles and Research by an authorized administrator of Chapman University Digital Commons. For more information, please contact laughtin@chapman.edu.

Movement System Theory and Anatomical Competence: Threshold Concepts for Physical Therapist Anatomy Education

Comments

This is the accepted version of the following article:

Carroll, M.A., McKenzie, A. and Tracy-Bee, M. (2021), Movement System Theory and Anatomical Competence: Threshold Concepts for Physical Therapist Anatomy Education. *Anat Sci Educ., 15: 420-430.* https://doi.org/10.1002/ase.2083

which has been published in final form at https://doi.org/10.1002/ase.2083. This article may be used for non-commercial purposes in accordance with Wiley Terms and Conditions for Self-Archiving.

Copyright Wiley



DR. MELISSA A CARROLL (Orcid ID : 0000-0003-0701-8572)

Article type : Viewpoint Commentary

ASE-20-0165.R2

Viewpoint commentary

Movement System Theory and Anatomical Competence: Threshold Concepts for Physical Therapist Anatomy Education

Melissa A. Carroll¹, Alison McKenzie^{2,3}, Mary Tracy-Bee^{4,5}

¹Division of Healthcare Professions, Doctor of Physical Therapy Program, DeSales University, Center Valley, Pennsylvania
²Department of Physical Therapy, Chapman University, Irvine, California
³Department of Neurology, University of California, Irvine, California
⁴Department of Biology, University of Detroit Mercy, Detroit, Michigan
⁵Department of Movement Science, Physical Therapy Program, Oakland University, Rochester, Michigan

Running Title: Anatomy Threshold Concepts for Physical Therapist Education

This article has been accepted for publication and undergone full peer review but has not been through the copyediting, typesetting, pagination and proofreading process, which may lead to differences between this version and the <u>Version of Record</u>. Please cite this article as <u>doi:</u> 10.1002/ase.2083

Correspondence to: Dr. Melissa A. Carroll, Division of Healthcare Professions, Doctor of Physical Therapy Program, DeSales University, 2755 Station Avenue, Center Valley, PA 18034-9568, USA. E-mail: macarroll@gwu.edu

ABSTRACT

This viewpoint proposes eight anatomy threshold concepts related to physical therapist education, considering both movement system theory and anatomical competence. Movement system theory provides classifications and terminology that succinctly identifies and describes physical therapy practice from a theoretical and philosophical framework. The cardiovascular, pulmonary, endocrine, integumentary, nervous, and musculoskeletal systems are all included within this schema as the movement system theory encompasses all body systems interacting to create movement across the lifespan. Implementing movement system theory requires an ability to use human anatomy in physical therapist education and practice. Understanding the human body is a mandatory prerequisite for effective diagnosis, assessment, treatment, and patient evaluation. Anatomical competence refers to the ability to apply anatomic knowledge within the appropriate professional and clinical contexts. Exploring the required anatomical concepts for competent entry-level physical therapist education and clinical practice is warranted. The recommended threshold concepts (fluency, dimensionality, adaptability, connectivity, complexity, stability or homeostasis, progression or development, and humanity) could serve as an integral and long-awaited tool for guiding anatomy educators in physical therapy education.

Keywords: Gross anatomy education, physical therapist education, movement system theory, health professions education, threshold concepts, anatomical competence, curriculum recommendations.

INTRODUCTION

A need exists to develop threshold concepts that outline and recommend anatomic content in physical therapist education (PTE). Threshold concepts challenge and transform a learner's thought pattern as they progress to professional use and mastery of the educational material (Meyer and Land 2003; Jensen, 2011; Land and Meyer 2011; Land et al., 2016; Barradell, 2017; Barradell and Peseta, 2017, 2018). Anatomy educators in PTE programs should strive to examine, review, and reach consensus concerning relevant, foundational anatomic content. To do so, one must first consider how physical therapists integrate anatomy into practice and how the profession defines its role in healthcare. As the movement system defines the identity of physical therapy practice (APTA, 2015), the movement system theory must be part of the foundation for anatomy threshold concepts. This viewpoint discusses anatomic content for effective physical therapy practice, first within the movement system theory framework and second within achieving anatomical competence.

Movement System Theory

In 2013, the House of Delegates of the American Physical Therapy Association (APTA) adopted the movement system as an integral part of a physical therapist's professional identity (Hunter et al., 2015; Saladin and Voight, 2017; APTA, 2019; Sebelski et al., 2020). Defined as a group of body systems, namely the cardiovascular, pulmonary, endocrine, integumentary, nervous, and musculoskeletal, the movement system is foundational for PTE, research, and practice (APTA, 2015; Hunter et al., 2015; Sahrmann, 2017; Saladin and Voight, 2017). Movement system theory (MST) stems from the Tenth Mary McMillan Lecture in 1975. Helen Hislop, former Chair of the Division of Biokinesiology and Physical Therapy at the University of Southern California, stated that "physical therapy [had] a soft belly because its science [was] in disarray" and recommended that "pathokinesiology" was the most important scientific identity for the physical therapist (Hislop, 1975; Sahrmann, 1998; Van Sant, 2017). Evolving from this concept of pathokinesiology, MST succinctly identifies and describes the theoretical and philosophical framework of physical therapy

practice – incorporating a holistic view of the human body with movement as it pertains to wellness and indications of disease (Cott et al., 1995; Ludewig et al., 2013; Sebelski et al., 2020).

All diagnostic areas of physical therapy practice can be described as a movement system dysfunction, from a macroscopic congenital or acquired dysfunction to a cellular level of abnormal blood flow. Movement dysfunction can occur as a result of metabolic dysfunction and dysregulation of the cardiopulmonary circuits, myopathy due to endocrine disorders, atypical neurodevelopment or neurological pathologies, musculoskeletal diseases, scarring and tissue deformation, in addition to a myriad of interrelated systemic changes (Hislop, 1975; Cott et al., 1995; Peel, 1996; Shields, 2017). The movement system provides a comparison for any abnormal structural variations or dysfunction through understanding foundational sciences such as anatomy, kinesiology, biomechanics, physiology, histology, neurology, and other related biological sciences (Hislop, 1975; Rose, 1986; Sahrmann, 1998, 2014, 2017; Sahrmann et al., 2017; Van Sant, 2017). Knowledge of these biological sciences help to distinguish between "normal" human structure and function, structural variation, including congenital or developmental anomalies, and acquired dysfunction, adaptations, or pathologic structural changes. Using MST in physical therapy practice should provide clinicians with a comprehensive approach that integrates all factors related to movement dysfunction into the International Classification of Disability and Function (ICF) domains of impairments and limitations in body structure or function, activities, and participation (Cott et al., 1995; Hendricks et al., 2000; WHO, 2001; Wade and Halligan, 2003; Ludewig et al., 2013; APTA, 2015; Ludewig 2017). There are, however, some competing ideologies to the MST, mainly because the body is more than just a biological entity; social and cultural contexts influence perceptions of the body as well (Cott et al., 1995; Hendriks et al., 2000; Nicholls and Gibson, 2010; Barradell, 2017). Some stakeholders have concerns that the movement system downplays the complex continuum of movement, which includes psychosocial constructs of movement dysfunction (such as fear of movement), environmental factors, and societal norms (Cott et al., 1995; Allen 2007a; Cott and Finch, 2007). Additional concerns center around standardizing a pedagogical approach for integrating MST into clinical reasoning and practice (Perry, 1981; Sebelski et al., 2020).

However, for more than half a century, the APTA has been trying to institute some version of pathokinesiology or MST into the standard educational curriculum. The primary underpinning was to identify the human body as a complex and intricate unit of movement due to unique characteristics that delineate the healthcare role that physical therapists fulfil in comparison to that of other healthcare providers (Gotten and Campbell 1933; Hermann 1937; Miller 1942; Hislop, 1975; Devine, 1984; Pinkston, 1986; Van Sant, 2017). Nevertheless, integrating the MST, or a similarly unique identity, into PTE programs has been challenging due to: (1) inconsistencies in diagnostic exemplars and movement system terminology, (2) resistance from and variability within programs, and (3) independent and siloed teaching versus integration of the body systems as a whole (Behneman, 1934; Snyder and Duvall, 1950; Callahan et al., 1961; Cott and Finch, 2007; Hoogenboom and Sulavik, 2017; Sahrmann, 2017; Sebelski et al., 2020). Recognizing that the MST incorporates and acknowledges the influence of cells, the basic building blocks of the human body, in addition to tissues, organs, and the body as a whole (Hislop 1975; Cott et al., 1995; Sahrmann, 2014) requires an in-depth examination of PTE signature pedagogies and the ability to integrate these concepts through anatomical education.

The signature learning instrument recognized in PTE is the human body, because of a distinctly unique pedagogical approach for teaching students to think, problem-solve, apply anatomic knowledge, and perform complex psychomotor skills (Jensen et al., 2017; Sebelski et al., 2020). During the physical examination, entry-level physical therapists can use anatomic knowledge to reason through structural involvement in movement dysfunction (van der Sijde et al., 1987; Gilliland, 2017; Sahrmann, 2017; Sahrmann et al., 2017; Berg-Carramusa, 2019). Understanding and incorporating MST in PTE and practice means approaching the human body holistically, which requires a deep understanding of human

anatomy (Broberg et al., 2003). Therefore, learning human anatomy develops knowledge of the human body, specifically comprehension of normal structure and function, to provide rationale for appraising and analyzing dysfunction. However, the requisite anatomic knowledge, skills, and abilities necessary for understanding movement system diagnoses are yet to be determined; confounded by the continued development and validation of standard movement system diagnoses (Allen, 2007b; Ludewig et al., 2013; Hoogenboom and Sulavik, 2017). Therefore, a discussion of the required anatomical concepts for competent entry-level PTE and clinical practice is warranted.

Physical Therapy and Anatomy Education

The practice of physical therapy began as a supplement to medical doctoring. "Reconstruction aides" (early physical and occupational therapists) were vital during World War I and the early polio epidemic to perform and conduct the technical directives originally ordered by physicians (Decker, 1974; Plack and Wong, 2002; APTA, 2011; Carroll and Lawson, 2014). As the medical profession and healthcare system evolved, so did the role of the physical therapist; from solely a technician following physician's orders to a diagnostician with an increased ability to evaluate, assess, and treat movement dysfunction (Johnson, 1974; James and Stuart ,1975; Overman et al., 1988; Plack and Wong, 2002; APTA, 2011; Moffat, 2012). This division of labor and skills allowed the profession of physical therapy to transition to clinical collaborators within the healthcare field. Formal curricular training of "physiotherapy technicians" and "physical therapy aides" (both terms used for early physical therapists) included anatomy and other basic sciences since its inception, and its importance evolved through the major curricular reform of the 20th century (Cutter, 1931; Hagelthorn, 1932; Callahan et al., 1961; Decker, 1974; Plack and Wong, 2002).

Due to the training in anatomy, physiology, kinesiology, and exercise, physical education or nursing degrees were a standard prerequisite for early physical therapists (Peck, 1930; Behneman, 1934; Beard, 1961; Decker, 1974; Plack and Wong 2002). Emergency training courses were designed to enhance the knowledge of physical therapy practice based on the foundation of the theoretical sciences (including anatomy) to meet the war's medical needs (Hagelthorn, 1932; Beard, 1961; Decker, 1974). However, it was not until ten years after World War I ended and seven after the APTA formation, the first educational standards for physical therapy and a list of accredited physical therapy schools were published (AMA, 1936a, b; Hazenhyer, 1939; AMA, 1941; Hazenhyer, 1946; Decker, 1974). Of note, 25% of the early PTE curriculum was devoted to anatomy content and coursework (Cutter 1931; Decker, 1974). Furthermore, anatomy and kinesiology were the majority (54-67%) of all foundational training in basic science hours in PTE programs from 1918-1955 (Decker, 1974).

Anatomy knowledge has always been considered essential to physical therapy practice (Milacek and Pederson, 1967); it is part of the explicit curriculum and a theoretical foundation to clinical practice – even though the time allotted to teach anatomy has decreased (Hagelthorn, 1932; Hazenhyer, 1939; Hogue, 1974; Plack, 2000; McKenzie and Gutierrez, 2007; Gabard et al., 2012; Shead et al., 2018). Since introduced in PTE programs, anatomy training included cadaveric dissection (Beard, 1961), yet like many other healthcare programs, the time, availability, cost, and stakeholders influenced the inclusion of this modality (Mattingly and Barnes, 1994; Berube et al., 1999; Plack, 2000; Gabard et al., 2012; Simons et al., 2020). Even with these influences, the majority (71-98.2%) of PTE programs surveyed in the 1990s used cadaveric materials (Mattingly and Barnes, 1994; Berube et al., 1999). Furthermore, 90-92.6% of the PTE programs surveyed in 2010s still used cadaveric dissection as their primary teaching modality (Reimer et al., 2013; Cope et al., 2017). This timeframe is significant because it corresponds with the transition to a clinical doctorate as the primary entry-level degree (Plack and Wong, 2002; CAPTE, 2019).

Entry-level PTE in the U.S. has spanned the gamut from certificate, baccalaureate, postbaccalaureate, master's degree to doctoral education (Worthingham, 1968; APTA, 2020; Moffat, 2003; Swisher and Page, 2005). For years, some or all of those program types existed concurrently. The same accreditation standards were applied to all programs,

regardless of the type of degree granted. Since 2016, all accredited U.S. programs have been required to award the Doctor of Physical Therapy (DPT) degree, yet the specific amount or type of anatomic content has never been established by the accrediting body (Worthingham, 1968; APTA, 2020). For example, current accreditation requirements mention in very general terms that anatomic content "necessary for entry-level practice" must be included in the curriculum. However, within the U.S., the range of credit units devoted to anatomy instruction can vary widely (McKenzie and Gutierrez, 2007; Myers et al., 2013; Youdas et al., 2013, 2015). Likewise, although minimal required skills for entry-level physical therapists have been described (APTA, 2009), the anatomic content required to meet those skills is not defined. Further, no uniform international standard for entry-level PTE exists concerning the degree required, while the program types and lengths vary widely (WCPT, 2011; Moffat, 2012; Adam et al., 2013; FAP, 2016; Barradell, 2017; Shead et al., 2018). As a result, despite the long-standing history of including anatomy education within PTE, no consensus exists regarding how much is needed, what specific content should be included, or how anatomy should be taught (McKenzie and Gutierrez, 2007; Youdas et al., 2015; Shead et al., 2016, 2018; Blum et al., 2020; Simons et al, 2020).

Post-graduate and residency-like training in physical therapy also developed to allow further specialization for movement dysfunction across the lifespan. Board-certified Physical Therapists demonstrate an increased need and understanding of anatomical concepts compared to physical therapy generalists (Brooks, 1996; Mulligan et al., 2014; Rapport et al., 2014; Bartlo et al., 2015; Johanson et al., 2016; Simons, 2019). Less clear are the relationships between therapists' areas of specialty and the anatomical knowledge specific to each area of expertise, in part, because the anatomy content assessed can vary from 4-20% across board certification specialty examinations (Johanson et al., 2016; Simons, 2019).

Anatomical Competence

Competence requires having the knowledge and skills needed to practice the discipline (Epstein and Hundert, 2002; Chesbro et al., 2018). For physical therapy, this includes the cognitive abilities that encompass clinical rationale and judgment, the affective abilities to display the correct attitudes and values, the psychomotor abilities to perform therapeutic techniques manually, and the ability to reason through problems that emerge during practice (Jensen et al., 2000; Brosky and Scott, 2007; Chesbro et al., 2018; Simons, 2019). To function with "excellence" in professional competence, Gordon (2011) advocates that physical therapists must also be prepared to practice in a direct access setting, where a physician referral is not required by state law. While multiple resources refer to the term professional competence, inconsistent definitions create difficulty in assessing and adequately demonstrating achievement (Brosky and Scott, 2007; Regan de Bere and Mattick, 2010; Fernandez et al., 2012; Chesbro et al., 2018). However, the level of required professional competence is always changing depending on the clinical setting and learning environment, suggesting a competence continuum as a novice transitions to an expert (Jensen et al., 2000; Brosky and Scott, 2007; Barradell, 2017; Chesbro et al., 2018).

Measuring the continuum of professional competence in healthcare fields has been reframed with several identifying terms. Educational milestones are used to assess this developmental phenomenon in medical residency and fellowship education programs, defined in 2013 by the Accreditation Council for Graduate Medical Education (ACGME) (Teherani and Chen, 2014; Williams et al., 2015; Edgar et al., 2018). Meanwhile, observable practice activities (OPAs) and entrustable professional activities (EPAs) have been used to describe the smaller behavior units that are attainable and measurable components of clinical practice and specialist training programs (ten Cate, 2005; Teherani and Chen, 2014; Warm et al., 2014; Chesbro et al., 2018). Milestones, OPAs, and EPAs are fundamental components of competency-based curricular designs, yet they all depend on the acquisition of clinical and didactic knowledge, the skills for clinical performance, and the ability to discuss clinical progress and processes. Therefore, performance and clinical readiness are not predicted by isolated domains of competence, but through characteristics

that display or express the professional behaviors of several areas of competence within the desired discipline (Rapport et al., 2014; Chesbro et al., 2018; Timmerberg et al., 2019). One such area for the entry-level physical therapist to demonstrate clinical readiness is in anatomical competence (ACAPT, 2017; Timmerberg et al., 2019).

Anatomical competence was conceived to identify the anatomy knowledge, skills, and abilities necessary and relevant for adequate clinical practice (Regan de Bere and Mattick, 2010; Schoeman and Chandratilake, 2012; Fillmore et al., 2016). Similar to educational milestones, OPAs, and EPAs, measuring anatomical competence can capture the transition of a novice learner to a reflective and proficient student ready for clinical practice (Shepard and Jensen, 1990; Fillmore et al., 2016; Chesbro et al., 2018; Timmerberg et al., 2019). Although pure, rote-memorized, basic science is not considered relevant for clinical practice, the experience of identifying major concepts and synthesizing the use of anatomical concepts is part of each implicit or hidden curriculum (Sahrmann, 1998; Jensen, 2011; Bandiera et al., 2013; Barradell, 2017). Curricular overcrowding and the increase in anatomic details combined with the decrease in time related to teach them, enhances the need to teach threshold concepts (Morris, 2015; Shead et al., 2016; Barradell, 2017; Hoang and Lau, 2018).

Competency-based education is often defined as a set of standard "deliverables" that should be achieved by the end of each healthcare education program to demonstrate a graduate's competence for entry-level practice (Fernandez et al., 2012; Adam et al., 2013; Hoang and Lau, 2018). The profession and other stakeholders regulate the quality and preparedness of education programs to produce competent practitioners through the accreditation process (Brosky and Scott, 2007; Fernandez et al., 2012; Adam et al., 2013; Barradell, 2017; Timmerberg et al., 2018), requiring physical therapist educators to "prove" or document student progression and achievement towards competence. The Commission on Accreditation in Physical Therapy Education (CAPTE) was created and is used to verify that each PTE program is upholding the minimum standards for entry-level practice (Brosky and

Scott, 2007). The National Physical Therapy Examination (NPTE[®]), administered through the Federation of State Boards of Physical Therapy (FSBPT) is another metric used to assess clinician readiness (Caramagno et al., 2017; Wolden et al., 2020). Neither, however, clearly delineates the specific anatomical competence required for physical therapist practice (Bartlo et al., 2015; Caramagno et al., 2017).

The development of entry-level anatomical competence, and therefore professional competence, should be slow and deliberate because it is defined by critical stakeholders, cultural experiences, and from the needs of the healthcare society (Higgs et al., 1999; Brosky and Scott, 2007; Gregory et al., 2009; Gordon, 2011; Fernandez et al., 2012; Bandiera et al., 2013; Warm et al., 2014). The required levels of anatomical competence may vary, for example, at graduation from professional-training programs compared to specialist training in residency programs, or for board certification and expert practice (Brooks, 1996; Regan de Bere and Mattick, 2010; Bartlo et al., 2015; Fillmore et al., 2016; Johanson et al., 2016; Simons, 2019). Therefore, physical therapist educators need to be able to assess progression towards professional and anatomical competence so that they can analyze achievement compared to a national standard or terminal outcome (Regan de Bere and Mattick, 2012).

Starting the Discussion for Threshold Concepts in Anatomy

To facilitate the discussion, the following threshold concepts are suggested as a starting point (TABLE 1), with recognition that these suggestions may not accurately capture the needs of all physical therapist educators worldwide due to variation in practice acts and legal rights of the profession (WCPT, 2011; Moffat, 2012; FAP, 2016; Barradell, 2017). However, knowing the unique nature of physical therapy practice allows for anatomy threshold concepts that are bounded in MST to be developed as a shared resource to anatomy educators. It is the authors' sentiment that building a modular platform of educational thresholds provides a foundation on which the anatomy training for clinical specialties and future needs for the profession could root themselves and grow.

To be useful and informative to new and established anatomy educators, the proposed threshold concepts provide sample areas for mastery, integration, and transformation towards anatomical competence (Meyer and Land, 2003; Barradell, 2017; Barradell and Peseta, 2017). Several iterations and permutations of these initial suggestions may be required until the process ultimately refines the anatomy threshold concepts that capture the level of anatomical competence, bounded by the MST, and needed for entry-level physical therapy practice.

Fluency:

Demonstrate anatomic comprehension and signification through the use of appropriate terminology with the goal of efficient communication within the healthcare system, including health literacy and effective patient communication (Sahrmann, 1998; Morris, 2015; Youdas et al., 2013; Sytsma et al., 2015; Green et al., 2017; Sahrmann et al., 2017).

Dimensionality:

Explain, synthesize, integrate, analyze, and assess the human structure in consideration of dimensionality, axes of movement, and the anatomic and functional relationships of the "movement system" (integumentary, musculoskeletal, endocrine, cardiopulmonary, and neuromuscular systems), including the microanatomy as related to tissue healing, biomechanics, posture, and movement (Hislop 1975; Rose 1986; Peel, 1996; Sahrmann, 1998; Regan de Bere and Mattick, 2010; Morris, 2015; Sahrmann et al., 2017).

Adaptability:

Construct and deconstruct the structures involved in normal human movement, including the assessment of muscle architecture, attachments, and functions; the neurovascular supply; and joint components (e.g., joint surfaces, ligamentous support, capsular complexes, cartilage, synovial fluid, fascial elements, neurovascular supply, etc.) of the limbs, head,

neck, and trunk (Hislop, 1975; Peel, 1996; Sahrmann, 1998; Krause et al., 2011; Morris, 2015; Meyer et al., 2017; Sahrmann et al., 2017)

Connectivity:

Describe, integrate, analyze, and interpret the relationships and functions of the structures of the nervous system with respect to the motor, sensory, and autonomic innervation of the body's structures and in consideration of the bony protections and areas of potential compression or impingement, including a structural understanding of pain generators by tissue type and location and including differentiating potential areas of damage (e.g., nerve root vs. peripheral nerve) (Sahrmann, 1998; Regan de Bere and Mattick, 2010; Moffat, 2012; Morris, 2015; Sahrmann et al., 2017). Neuroanatomy or neuroscience coursework should address the extensive content regarding the nervous system in totality (structure, function) and pain science which is likely beyond the typical gross anatomy coursework of most PTE programs (Scudds et al., 2009; Myers et al., 2013; Bement and Sluka, 2015; Louw et al., 2017).

Complexity:

Relate and integrate the normal structure and basic functions of the visceral organs (including their normal location, anatomic variations, three-dimensional relationships, and neurovascular supply), to visceral referred pain patterns, common pathologies, clinical correlates, and health considerations (e.g., nutrition, deglutition, digestion, drug delivery and absorption, cardiopulmonary, and urogenital function) (Sahrmann, 1998; Regan de Bere and Mattick, 2010; Spitznagle and Sahrmann, 2011; Moffat, 2012; Morris, 2015; Kurz and Borello-France, 2017).

Stability or Homeostasis:

Explain and integrate the three-dimensional structure, function, and relationships of the human "cavities" (thoracic and abdominopelvic) pertaining to cardiopulmonary, gastrointestinal, endocrine, and urogenital systems, and the autonomic control of their

physiologic or metabolic processes (e.g., ventilation, respiration, circulation, – including perfusion – digestion, elimination, –including micturition and defecation – biological sex organs, and reproduction) (Peel, 1996; Sahrmann, 1998; Regan de Bere and Mattick, 2010; Moffat, 2012; Morris, 2015; Sahrmann et al., 2017; Shields, 2017).

Progression or Development:

Identify and examine some of the anatomic and functional changes across the lifespan, including genetic or metabolic influences that may affect the human movement system from embryology to childhood and adolescence through the aging and dying process (Sahrmann, 1998; Moffat, 2012; Morris, 2015; Sahrmann et al., 2017; Shields, 2017).

Humanity:

Explore and reflect on personal attitudes of humanity, empathy, ambiguity, respect for people, and ethics in the study and clinical application of anatomy in culturally diverse populations. This includes consideration of perspectives on disability, dysfunction, societal expectations, and biases impacting the movement system (Higgs et al., 1999; Canby and Busy 2010; Regan de Bere and Mattick, 2010, Youdas et al., 2013; Hildebrant, 2016; Cope et al., 2017; Jensen et al., 2017).

DISCUSSION

Across a century of curricular changes, anatomy has served as the foundation to PTE and practice, yet the most relevant anatomy content remains ambiguous. Learning human anatomy, specifically the systems involved in human movement, will develop anatomical competence in physical therapy practice. The authors define anatomical competence as having the ability to apply anatomic knowledge within the appropriate professional and clinical contexts. This definition of anatomical competence includes the professional use and integration of anatomy threshold concepts and MST in clinical practice. Although integral to clinical reasoning and diagnostic skills, clear levels of anatomical competence within the MST framework are currently unknown (Caramagno et al., 2017). Anatomical competence

should be linked to clinical performance and the ability to make sound judgments that ultimately contribute to clinical competence and the defined professional identity (Epstein and Hundert, 2002; Fernandez et al., 2012). Ultimately, anatomical competence in PTE, should produce a foundation of knowledge that prepares students for unknown and uncertain clinical diagnoses (Perry 1981; Barradell, 2017). Thus, important determinants of critical knowledge within PTE and practice are anatomy threshold concepts (Green et al., 2017).

The authors propose that threshold concepts for students enrolled in PTE programs must include the ability to demonstrate anatomic fluency by using appropriate terminology for efficient verbal and written communication within the healthcare system, including health literacy and effective patient communication. Where appropriate and applicable, anatomic content and descriptions should include terminology germane to MST and integration of movement systems (e.g., integumentary, musculoskeletal, metabolic and endocrine, cardiovascular and pulmonary, lymphatic, gastrointestinal, genitourinary, and neuromuscular and nervous systems). With the addition of direct access and the potential for an increase in imaging rights for practicing physical therapists (Gordon, 2011; Burley et al., 2020), conceptual emphasis should be placed on the complex and connected structures involved in normal human movement, such as muscle architecture, attachments, functions, neurovasculature, osteology, joint components, body cavities, viscera, and glandular tissue. Educators should also anticipate that anatomic content needs to be integrated with other basic sciences (related content such as physiology, biomechanics, neuroscience, histology, genetics, and pathology).

Clearly, threshold concepts demonstrate a need for more specific learning objectives to measure achievement and progression, in addition to serving as a resource to anatomy educators. Furthermore, support and development of competence occurs through the achievement of student learning objectives and assessable course outcomes in the domains of cognition (knowledge), psychomotor (skills) and affect (ethical attitudes of humanity,

empathy) implemented in human anatomy education. Yet, oftentimes these objectives are created as exhaustive or prescriptive lists of anatomic content that may not always be germane to the target profession.

Creating a Framework

Twenty-five years ago, the essential anatomic content for PTE was examined (Mattingly and Barnes, 1994). Since that time, the number of papers published that are specific to anatomy coursework or content as it relates to PTE or practice is negligible (Donovan 1994; Armstrong and Rosser, 1996; Fiebert and Waggoner 1996; Latman and Lanier 2001; Reimer et al., 2013; Shead et al., 2016, 2018). Most often, the research studies survey anatomy educators in PTE programs or clinicians regarding faculty credentials, teaching modalities, student perceptions, or comparisons between other healthcare professions (Berube et al., 1999; Plack, 2000; Latman and Lanier 2001; Hamilton et al., 2008; Livingston et al., 2014; Simons et al., 2020). To date, no prospective investigation regarding the integrity of anatomical competence needed for physical therapy practice has been conducted. Retrospective survey data, collected from anatomy educators and clinicians, provided a simple consensus about essential anatomical regions or broad areas of anatomic content but nothing specific regarding the required anatomical competence for effective physical therapy practice nor the integration of the MST (Mattingly and Barnes, 1994; Latman and Lanier, 2001; Reimer et al., 2013).

In the wake of adopting the MST, the need to determine the required anatomical competence is clear. There is a definitive need for the integration of body movement and function within the scientific bases of PTE. Changing the view of the learner towards the use and application of anatomy in clinical practice is irreversible and transformative (Sahrmann, 1998; Meyer and Land, 2003; Jensen, 2011; Land and Meyer, 2011). Diagnostic reasoning is reliant on anatomical competence, especially to process through unfamiliar diagnoses and to transition from a novice to expert clinician (van der Sijde et al., 1987; Hendriks et al., 2000; Broberg et al., 2003; Banda, 2010; Gilliland 2017). As movement system specialists,

physical therapists must have a thorough understanding of all body systems. Without clearly defining anatomy threshold concepts for entry-level anatomical competence, educators run the risk of confusing or negatively impacting students who may not be taught an adequate depth and breadth of anatomy.

Designing a framework that incorporates MST and anatomical competence is important to determine the threshold concepts for PTE. Described as integrative, liminal, transformational, irreversible, bounded, and troublesome, threshold concepts are disciplinary-based beliefs that must be accepted and mastered to progress towards the professional identity and complex behaviors of discipline-specific practice (Meyer and Land, 2003; Land and Meyer, 2011; Smith et al., 2014; Land et al., 2016; Barradell, 2017). Traditionally, threshold concepts have been referred to as portals or landing points that are difficult to learn but can never be undone once acquired (Meyer and Land, 2005; Jensen, 2011; Land and Meyer, 2011). The time needed to capture this knowledge can vary depending on the learner due to the cognitive and affective transformation that occurs as they develop their intended discipline's thought patterns.

Burgeoning physical therapists must change their thoughts and approach the human body as a movement entity. There needs to be an appreciation of the nature of movement and therefore the components or systems of movement to assess the human body as a whole. Threshold concepts for anatomical competence can contribute to this shift in thinking within the MST framework. Concepts in anatomy education that may be troublesome and challenging for students to grasp, but are transformative once attained, can be considered thresholds. While concurrently reducing teaching time, increasing anatomical facts prohibits an objective-based curriculum because it limits anatomic content to current knowledge, does not include future interpretations, and cannot explicitly isolate the acquisition of competence (Bandiera et al., 2013; Norman et al., 2014; Morris, 2015; Barradell, 2017; Hoang and Lau 2018). Anatomy educators in PTE must keep in mind that the intended goal is to contribute to professional competence in physical therapy practice and not create a future anatomist. However, the innate skills and cognitive approach to anatomic evaluation, integration, and conceptual synthesis may benefit the student physical therapist as they analyze movement.

The need to establish overarching anatomy threshold concepts may not be explicitly linked to prescriptive lists of learning objectives (Barradell, 2017; Barradell and Peseta, 2017, 2018). Inflexible recommendations for anatomy learning objectives may limit the uniqueness of physical therapy practice and prohibit educational autonomy. Conversely, anatomy threshold concepts can produce consistent student progression towards relevant anatomical competence. For that reason, decision makers must refrain from insisting upon prescriptive and rigid lists of student learning objectives, when identifying and adopting recommendations for anatomical competence, but strive for consensus on essential threshold concepts that adequately prepare students for integrating MST into physical therapy practice. While some programs may be incorporating MST terminology and diagnoses into their anatomy coursework, no evidence exists to suggest that such is the case. Furthermore, anatomical competence is just one contributing factor towards understanding the continuum of movement acquired and integrated during other didactic and clinical coursework (Caramagno et al., 2017). Since PTE programs have not yet reached consensus about how to define and integrate either MST or anatomical competence into their curricula, the time to do so is upon us.

Developing a competency-based model for anatomy in PTE will require future research that identifies the application of anatomy in PTE and practice. Any evidence that can contribute to understanding the minimum standards for practice can significantly contribute to educational thresholds and curricular planning for professional activities or assessments that can promote student competence (Perry, 1981; Adam et al., 2013). Researching threshold concepts for PTE and practice can capture the transformational and irreversible knowledge that students need for successful progression towards the APTA's definition of professional identity (Barradell, 2017).

In recognition of this need, a subgroup of members of the Academy of Physical Therapist Education (APTE), a section of the APTA, began organizing themselves into a Special Interest Group in 2018 called the Anatomy Educators Special Interest Group (AESIG). The purpose of establishing the AESIG was, in part, to explore and define guidelines for anatomy education in PTE programs. However, this goal, which did not specifically include the incorporation of the MST, has not yet been achieved and efforts are currently on hold. The authors recommend that similar to the format in which the anatomical science competencies were created and vetted for the pre-clinical medical student (AAA, 2019), anatomy educators in PTE and clinicians work together to create task forces to ensure a relevant consensus. Once consensus is reached, the AESIG can work with the House of Delegates, Movement System Summit group, APTA Board of Directors, and CAPTE to effect change.

The international community of physical therapist educators is also researching relevant anatomical content and threshold concepts for PTE more broadly. Investigators in Australia are currently developing a core syllabus for anatomy education in physiotherapy, similar to a previous Delphi study for medical education (Webb, 2019). Concurrently, the International Federation of Associations of Anatomy, Federative International Program for Anatomy Education (FIPAE) committee is also organizing an effort to create a core syllabus for physiotherapy (IFAA, 2019).

To that end, reaching a consensus about foundational anatomic content for entry-level physical therapist practice, regardless of the educational degree granted or country involved, will help strengthen and standardize the professional education. By also integrating MST and anatomical competence into PTE, the profession can more clearly and effectively establish its specific role in healthcare. Doing so will facilitate greater consistency across the globe and help define physical therapist practice to those outside the profession.

Ensuring that the overall anatomy threshold concepts are achieved should be an essential step in meeting CAPTE requirements, along with standardizing the entry-level education

received by a novice physical therapist. Therefore, developing and vetting threshold concepts with measurable learning objectives, that still allow for program flexibility and faculty autonomy, is a vital step in PTE with respect to teaching anatomy and fostering anatomical competence within the MST framework. Notwithstanding, healthcare policies and societal needs should also inform the anatomy threshold concepts. After meeting these goals for entry-level PTE, the profession can then progress towards determining the anatomical competence and threshold concepts required for implementing the MST in advanced specialization and practice.

CONCLUSIONS

The purpose of this viewpoint was to initiate the discussion regarding anatomy threshold concepts that encompass but consolidate a broad integration of MST and anatomical competence for PTE and practice. The proposed threshold concepts were created with the intent of starting a much-needed conversation in hopes that other anatomy educators would contribute. The discussion of anatomy threshold concepts in PTE could also help to develop evidence-based models for effective anatomy instruction.

 NOTES ON CONTRIBUTORS:

MELISSA A. CARROLL, Ph.D., M.S., is an associate professor in the Doctor of Physical Therapy Program at DeSales University, Center Valley, Pennsylvania. She teaches anatomy, neuroanatomy, evidence-based practice and research methods to physical therapy students. Her research interests are in anatomical education, variations, diversity, and effective assessments.

ALISON L. MCKENZIE, P.T., D.P.T., Ph.D., M.A., is a professor of physical therapy, Anatomy Team Leader, and Director of Anatomy Laboratory Operations at Chapman University, Irvine, California. She has taught anatomy, neuroanatomy, and embryology to physical therapist students for over thirty years. Her research interests include neuroplasticy, stroke, and anatomical education.

MARY TRACY-BEE, Ph.D., M.S., is a professor of anatomy at the University of Detroit Mercy, Detroit, Michigan. She teaches anatomy and neuroanatomy to graduate health professionals including physical therapy students at Oakland University in Rochester, Michigan. Her research interests include anatomical education, curricular development, and morphological variations in anatomical structures.

ACCE

LITERATURE CITED

AAA. 2019. American Association for Anatomy. Gross Anatomy Learning Objectives for Competency-Based Undergraduate Medical Education. 1st Ed. Rockville, MD: American Association for Anatomy. 65 p. URL:

https://www.anatomy.org/common/Uploaded%20files/Competencies/AAA%20gross%20anat omy%20competencies.pdf [accessed 28 May 2020].

ACAPT. 2017. American Council of Academic Physical Therapy. Student Readiness for the First Full-Time Clinical Experience. 1st Ed. Alexandria, VA: American Council of Academic Physical Therapy. 3 p. URL: https://acapt.org/docs/default-source/public-docs/ksas-andlevels-of-competency-for-considering-student-readiness.pdf?sfvrsn=47da8bd8_2 [accessed 30 August 2020].

Adam K, Peters S, Chipchase L. 2013. Knowledge, skills and professional behaviours required by occupational therapist and physiotherapist beginning practitioners in work-related practice: A systematic review. Aust Occup Ther J 60:76–84.

Allen DD. 2007a. Proposing 6 dimensions within the construct of movement in the movement continuum theory. Phys Ther 87:888–898.

Allen DD. 2007b. Validity and reliability of the movement ability measure: A self-report instrument proposed for assessing movement across diagnoses and ability levels. Phys Ther 87:899–916.

AMA. 1936a. American Medical Association. Council on Medical Education and Hospitals. Essentials of an acceptable school for physical therapy technicians. JAMA 107:676–679. AMA. 1936b. American Medical Association. Medical education in the United States and Canada: Data for the academic year 1935-1936 presented by the Council on Medical Education and Hospitals. JAMA 107:661–692.

AMA. 1941. American Medical Association. Council on Medical Education and Hospitals. Annual report on schools for occupational therapists, physical therapists, and clinical laboratory technicians. JAMA 116:1311–1316.

APTA. 2009. American Physical Therapy Association. Minimum Required Skills of Physical Therapist Graduates at Entry-Level (BOD G11-05-20-49) 1st Ed. Alexandria, VA: American Physical Therapy Association. 18 p. URL:

https://www.wmcarey.edu/assets/PriorFiles/documents/physicaltherapy/Student/Min%20Req uired%20Skills%20of%20PT%20Grads%20at%20Entry-Level.pdf [accessed 14 May 2020].

APTA. 2011. American Physical Therapy Association. Today's physical therapist: a comprehensive review of a 21st-century health care profession. American Physical Therapy Association, 1st Ed. Alexandria, VA: American Physical Therapy Association. 141 p. URL: http://www.scottsevinsky.com/pt/todays_pt.pdf [accessed 7 August 2020]

APTA. 2015. American Physical Therapy Association White Paper. Physical Therapist Practice and The Movement System. 1st Ed. Alexandria, VA: American Physical Therapy Association. 5 p. URL:

https://www.apta.org/contentassets/fadbcf0476484eba9b790c9567435817/movementsystem-white-paper.pdf [accessed 14 May 2020]

APTA. 2019. American Physical Therapy Association. Vision Statement for the Physical Therapy Profession (HOD P06-13-18-22) and Guiding Principles to Achieve the Vision (HOD P06-19-46-54). 1st Ed. Alexandria, VA: American Physical Therapy Association. 2 p. URL:

https://www.apta.org/siteassets/pdfs/policies/guiding-principles-to-achieve-the-vision.pdf [accessed 14 May 2020]

APTA. 2020. American Physical Therapy Association. 100 Years, 1921-2021, 100 Milestones of Physical Therapy. American Physical Therapy Association, Alexandria, VA. URL: https://centennial.apta.org/centennial-timeline/#story-923 [accessed 23 August 2020]

Armstrong DL, Rosser BW. 1996. A survey comparing human gross anatomy courses for physical therapy students in Canada and the United States. Physiother Can 48:185–189.

Banda SS. 2010. An investigation of how clinicians use anatomical knowledge in diagnostic reasoning: A grounded theory study of clinicians in Zambia. Med J Zambia 37:23–30.

Bandiera G, Boucher A, Neville A, Kuper A, Hodges B. 2013. Integration and timing of basic and clinical sciences education. Med Teach 35:381–387.

Barradell S. 2017. Moving forth: Imagining physiotherapy education differently. Physiother Theor Pract 33:439–447.

Barradell S, Peseta T. 2017. Putting threshold concepts to work in health sciences: Insights for curriculum design from a qualitative research synthesis. Teach High Educ 22:349–372.

Barradell S, Peseta T. 2018. Integrating threshold concepts and ways of thinking and practising: Supporting physiotherapy students to develop a holistic view of the profession through concept mapping. Int J Pract Base Learn Health Social Care 6:24–37.

Bartlo P, Brooks G, Cohen M. 2015. Toward entry-level competencies in cardiovascular and pulmonary physical therapy. Cardiopulm Phys Ther J 26:99–107.

Beard G. 1961. Foundations for growth: A review of the first forty years in terms of education, practice and research. Phys Ther 41:843–861.

Behneman HM. 1934. Physical therapy – Criticisms and suggestions. Cal West Med 41:393–396.

Bement MK, Sluka KA. 2015. The current state of physical therapy pain curricula in the United States: A faculty survey. J Pain 16:144–152.

Berg-Carramusa CA. 2019. Markers of an effective physical therapist from the perspective of key stakeholders: A Delphi study. Youngstown State University: Youngstown, OH: Doctorate of Education Dissertation. 854 p.

Berube D, Murray C, Schultze K. 1999. Cadaver and computer use in the teaching of gross anatomy in physical therapy education. J Phys Ther Educ 13:41–46.

Blum CG, Richter R, Fuchs R, Sandeck F, Heermann S. 2020. An interprofessional teaching approach for medical and physical therapy students to learn functional anatomy and clinical examination of the lower spine and hip. Ann Anat 231:151534.

Broberg C, Aars M, Beckmann K, Emaus N, Lehto P, Lähteenmäki ML, Thys W, Vandenberghe R. 2003. A conceptual framework for curriculum design in physiotherapy education – An international perspective. Adv Physiother 5:161–168.

Brooks G. 1996. A survey of entry level cardiopulmonary physical therapy education. Cardiopulm Phys Ther J 7:9–14.

Brosky JA Jr, Scott R. 2007. Professional competence in physical therapy. J Allied Health 36:113–118.

Burley T, Brody LT, Boissonnault WG, Ross MD. 2020. Development of a musculoskeletal imaging competency examination for physical therapists. Phys Ther 100:2254–2265.

Callahan ME, Addoms EC, Schulz BF. 1961. Objectives of basic physical therapy education. Phys Ther 41:795–797.

Canby CA, Bush TA. 2010. Humanities in gross anatomy project: Learning tool at Des Moines University. Anat Sci Educ 3:94–96.

CAPTE. 2019. Commission on Accreditation in Physical Therapy Education. Aggregate Program Data: 2019 Physical Therapist Education Programs Fact Sheets. URL: https://www.capteonline.org/globalassets/capte-docs/aggregate-data/2019-2020-aggregatept-program-data.pdf [accessed 23 August 2020].

Caramagno J, Cogswell S, Waugh G. 2017. Analysis of practice for the physical therapy profession: Entry-level physical therapists. Final Report. 1st Ed. Alexandria, VA: Federation of State Boards of Physical Therapy. 75 p. URL: https://www.fsbpt.org/Portals/0/documents/free-

resources/FinalTechnicalReportPTFinal20170711.pdf [accessed 23 August 2020].

Carroll MA. Lawson K. 2014. The intermingled history of occupational therapy and anatomical education: A retrospective exploration. Anat Sci Educ 7:494–500.

Chesbro SB, Jensen GM, Boissonnault W.G. 2018. Entrustable professional activities as a framework for continued professional competence: Is now the time? Phys Ther 98:3–7.

Cope JM, Precht MC, Klinepeter A, Powell B, Hannah MC. 2017. Counting the dead: Who is teaching anatomy to physical therapy students? J Phys Ther Educ 31:6–10.

Cott CA, Finch E, Gasner D, Yoshida K, Thomas SG, Verrier MC. 1995. The movement continuum theory of physical therapy. Physiother Can 47:87–95.

Cott CA, Finch E. 2007. Invited commentary on the movement continuum special series. Phys Ther 87:925–926.

Cutter IS. 1931. Education in physical therapy. Phys Ther Rev 11:38.

Decker R. 1974. Physical therapy education: The past. Phys Ther 54:27–31.

Devine KL. 1984. Competencies in biomechanics for the physical therapist: Suggestion for entry-level curricula. Phys Ther 64:1883–1885.

Donovan M. 1994. Anatomy results in occupational therapy and physiotherapy: Why the discrepancy? Br J Occup Ther 57:224–227.

Edgar L, Roberts S, Holmboe E. 2018. Milestones 2.0: A step forward. J Grad Med Educ 10:367–369.

Epstein RM, Hundert EM. 2002. Defining and assessing professional competence. JAMA 287:226–235.

FAP. 2016. Finnish Association of Physiotherapists. The Core Competences of a Physiotherapist (English translation 2018).1st Ed. Helsinki, Finland: Finnish Association of Physiotherapists. 32 p. URL:

http://www.suomenfysioterapeutit.com/ydinosaaminen/CoreCompetencies.pdf [accessed 23 August 2020].

Fernandez N, Dory V, Ste-Marie, L-G, Chaput M, Charlin B, Boucher A. 2012. Varying conceptions of competence: An analysis of how health sciences educators define competence. Med Educ 46:357–365.

Fiebert IM, Waggoner P. 1996. Retention of gross anatomy knowledge by physical therapy students. J Phys Ther Educ 10:82–84.

Fillmore EP, Brokaw JJ, Kochhar K, Nalin PM. 2016. Understanding the current anatomical competence landscape: Comparing perceptions of program directors, residents, and fourthyear medical students. Ant Sci Educ 9:307–318.

Gabard DL, Lowe DL, Chang JW. 2012. Current and future instructional methods and influencing factors in anatomy instruction in physical therapy and medical schools in the US. J Allied Health 41:53–62.

Gilliland S. 2017. Physical therapist students' development of diagnostic reasoning: A longitudinal study. J Phys Ther Educ 31:31–48.

Gordon J. 2011. Pauline Cerasoli lecture: Excellence in academic physical therapy: What is it and how do we get there? J Phys Ther Educ 25:8–13.

Gotten N, Campbell SP. 1933. Muscle movement and tone: A brief review of the neuro anatomy involved, with suggestions for treatment. Phys Ther 13:211-214.

Green DA, Loertscher J, Minderhout V, Lewis JE. 2017. For want of a better word: Unlocking threshold concepts in natural sciences with a key from the humanities? High Educ Res Dev 36:1401–1417.

Gregory JK, Lachman N, Camp CL, Chen LP, Pawlina W. 2009. Restructuring a basic science course for core competencies: An example from anatomy teaching. Med Teach 31:855–861.

Hagelthorn SE. 1932. The educational problems of the physical therapy technician. Phys Ther Rev 12:169–170.

Hamilton SS, Yuan BJ, Lachman N, Hellyer NJ, Krause DA, Hollman JH, Youdas JW, Pawlina W. 2008. Interprofessional education in gross anatomy: Experience with first-year medical and physical therapy students at Mayo Clinic. Anat Sci Educ 1:258–263.

Hazenhyer IM. 1939. Physical therapy as a vocation. Phys Ther Rev 19:119–125.

Hazenhyer IM. 1946. A history of the American Physiotherapy Association. Phys Ther Rev 26:3–14.

Hendriks HJ, Oostendorp RA, Bernards AT, Van Ravensberg CD, Heerkens YF, Nelson RM. 2000. The diagnostic process and indication for physiotherapy: A prerequisite for treatment and outcome evaluation. Phys Ther Rev 5:29–47.

Hermann E. 1937. Physical education and physical therapy, past and present. J Health Phys Educ 7:349–351.

Higgs J, Hunt A, Higgs C, Neubauer D. 1999. Physiotherapy education in the changing international healthcare and educational context. Adv Physiother 1:17–26.

Hildebrant S. 2016. Thoughts on practical core elements of an ethical anatomical education. Clin Anat 29:37–45. Hislop HJ. 1975. Tenth Mary McMillan lecture: The not-so-impossible dream. Phys Ther 55:1069–1080.

Hoang NS, Lau JN. 2018. A call for mixed methods in competency-based medical education: How we can prevent the overfitting of curriculum and assessment. Acad Med. 93:996–1001.

Hogue RE. 1974. Physical therapy education: The present. Phys Ther 54:32–36.

Hoogenboom BJ, Sulavik M. 2017. The movement system in education. Int J Sports Phys Ther 12:894–900.

Hunter SJ, Norton BJ, Powers CM, Saladin LK, Delitto A. 2015. Rothstein roundtable podcast – "Putting all of our eggs in one basket: Human movement system." Phys Ther 95:1466.

IFAA. 2019. International Federation of Associations of Anatomists. Federative International Program for Anatomy Education (FIPAE). Core Syllabuses Project. International Federation of Associations of Anatomists, Johannesburg, South Africa. . URL: https://www.ifaa.net/committees/anatomical-education-fipae/fipae-core-syllabuses-project/ [accessed 28 August 2020].

James JJ, Stuart RB. 1975. Expanded role for the physical therapist: Screening musculoskeletal disorders. Phys Ther 55:121–132.

Jensen GM, Gwyer J, Shepard KF. 2000. Expert practice in physical therapy. Phys Ther 80:28–52.

Jensen GM. 2011. Learning: What matters most. Phys Ther 91:1–16.

Jensen GM, Nordstrom T, Mostrom E, Hack LM, Gwyer J. 2017. National study of excellence and innovation in physical therapist education: Part 1-Design, method, and results. Phys Ther 97:857–874.

Johanson MA, Miller MB, Coe JB, Campo M. 2016. Orthopaedic physical therapy: Update to the description of specialty practice. J Ortho Sports Phys Ther 46:9–18.

Johnson GR. 1974. Physical therapy education: The future. Phys Ther 54:37-42.

Krause DA, Youdas JW, Hollman JH. 2011. Learning of musculoskeletal ligament stress testing in a gross anatomy laboratory. Anat Sci Educ 4:357–361.

Kurz J, Borello-France D. 2017. Movement system impairment-guided approach to the physical therapist treatment of a patient with postpartum pelvic organ prolapse and mixed urinary incontinence: Case report. Phys Ther 97:464–477.

Land R, Meyer JHF. 2011. The scalpel and the 'mask': Threshold concepts and surgical education. In: Fry H, Kneebone R (Editors). Surgical Education: Theorising an Emerging Domain. Volume 2. 1st Ed. Dordrecht, The Netherlands: Springer, Netherlands. p 91–106.

Land R, Meyer JH, Flanagan MT *Editors). 2016. Threshold Concepts in Practice. 1st Ed. Rotterdam, The Netherlands: Sense Publishers. 361 p.

Latman NS, Lanier R. 2001. Gross anatomy course content and teaching methodology in allied health: Clinicians experiences and recommendations. Clin Anat 14:152–157.

Livingston B, Lundy M, Harrington S. 2014. Physical therapy students' perceptions of teambased learning in gross anatomy using the team-based learning student assessment instrument. J Educ Eval Health Prof 11:1.

Louw A, Puentedura EJ, Zimney K, Cox T, Rico D. 2017. The clinical implementation of pain neuroscience education: A survey study. Physiother Theory Prac 33:869–879.

Ludewig PM, Lawrence RL, Braman JP. 2013. What's in a name? Using movement system diagnoses versus pathoanatomic diagnoses. J Orthop Sports Phys Ther 43:280–283.

Ludewig PM, Kamonseki DH, Staker JL, Lawrence RL, Camargo PR, Braman JP. 2017. Changing our diagnostic paradigm: Movement system diagnostic classification. Int J Sports Phys Ther 12:884–893.

Mattingly GE, Barnes CE. 1994. Teaching human anatomy in physical therapy education in the United States: A survey. Phys Ther 74:32–38.

McKenzie AL, Gutierrez B. 2007. The varied-integrative-progressive (VIP) model for anatomy instruction in physical therapist education. J Phys Ther Educ 21:17–29.

Meyer J, Land R. 2003. Threshold concepts and troublesome knowledge: Linkages to ways of thinking and practising within the disciplines. In: Rust C (Editor). Proceedings of the 2002 10th International Symposium on Improving Student Learning (ISL 10). Improving Student Learning Theory and Practice – Ten Years On; Brussels, Belgium, 2002 September 4-6. Oxford Centre for Staff and Learning Development, Oxford, UK.

Meyer JH, Land R. 2005. Threshold concepts and troublesome knowledge (2): Epistemological considerations and a conceptual framework for teaching and learning. High Educ 49:373–388. Meyer JJ, Obmann MM, Gießler M, Schuldis D, Brückner A-K, Strohm PC, Florian Sandeck F, Spittau B. 2017. Interprofessional approach for teaching functional knee joint anatomy. Ann Anat 210:155–159.

Milacek B, Pedersen T. 1967. Anatomy courses in physical therapy: A survey. Phys Ther 47:289–291.

Miller R. 1942. Importance of a knowledge of physical therapy to instructors in physical education. The University of Arizona: Tucson, AZ. Master of Arts Thesis. 86 p.

Moffat M. 2003. The history of physical therapy practice in the United States. J Phys Ther Educ 17:15–25.

Moffat, M. 2012. A history of physical therapist education around the world. J Phys Ther Educ 26:13–23.

Morris JF. 2015. Competencies for teaching anatomy effectively and efficiently. In: Chan LK, Pawlina W (Editors). Teaching Anatomy: A Practical Guide. 1st Ed. New York, NY: Springer International Publishing. p 39–44.

Mulligan EP, Weber MD, Reinking MF. 2014. Competency revalidation study of specialty practice in sports physical therapy. Int J Sports Phys Ther 9:959–973.

Myers SF, Blough SM, Fry DK. 2013. Effects of restructuring a neuroscience curriculum in a physical therapist education program. J Phys Ther Educ 27:49–57.

Norman G, Norcini J, Bordage G. 2014. Competency-based education: Milestones or millstones. J Grad Med Educ 6:1–6.

Overman SS, Larson JW, Dickstein DA, Rockey PH. 1988. Physical therapy care for low back pain: Monitored program of first-contact nonphysician care. Phys Ther 63:199–207.

Peck WS. 1930. Education in physical therapy. Phys Ther 10:422–423.

Peel C. 1996. The cardiovascular system and movement dysfunction. Phys Ther 76:448–455.

Perry JF. 1981. A model for designing clinical education. Phys Ther 61:1427–1432.

Pinkston D. 1986. Twenty-first Mary McMillan lecture. Phys Ther 66:1739–1746.

Plack MM. 2000. Computer-assisted instruction versus traditional instruction in teaching human gross anatomy. J Phys Ther Educ 14:38–43.

Plack MM, Wong CK. 2002. The evolution of the doctorate of physical therapy: Moving beyond the controversy. J Phys Ther Educ 16:48–59.

Nicholls DA, Gibson BE. 2010. The body and physiotherapy. Physiother Theory Pract 26:497–509.

Rapport MJ, Furze J, Martin K, Schreiber J, Dannemiller LA, DiBiasio PA, Moerchen VA. 2014. Essential competencies in entry-level pediatric physical therapy education. Pediatr Phys Ther 26:7–18.

Regan de Bere S, Mattick K. 2010. From anatomical 'competence' to complex capability. The views and experiences of U.K. tutors on how we should teach anatomy to medical students. Adv Health Sci Educ Theory Pract 15:573–585. Reimer E, Laurenzano H, Tages M. 2013. Gross anatomy survey: How do physical therapy schools in the United States teach gross anatomy? Northeastern University: Boston, MA. Honors Junior/Senior Projects. 21 p.

Rose SJ. 1986. Description and classification – The cornerstones of pathokinesiological research. Phys Ther 66:379–381.

Sahrmann SA. 1998. Moving precisely? Or taking the path of least resistance. Phys Ther 78:1208–1219.

Sahrmann SA. 2014. The human movement system: Our professional identity. Phys Ther 94:1034–1042.

Sahrmann S. 2017. The how and why of the movement system as the identity of physical therapy. Int J Sports Phys Ther 12:862–869.

Sahrmann S, Azevedo DC, Van Dillen L. 2017. Diagnosis and treatment of movement system impairment syndromes. Braz J Phys Ther 21:391–399.

Saladin L, Voight M. 2017. Introduction to the movement system as the foundation for physical therapist practice education and research. Int J Sports Phys Ther 12:858–861.

Schoeman S, Chandratilake M. 2012. The weak relationship between anatomy competence and clinical skills in junior medical students. Anat Sci Educ 5:217–224.

Scudds RJ, Scudds RA, Simmonds MJ. 2009. Pain in the physical therapy (PT) curriculum: A faculty survey. Physiother Theory Prac 17:239–256.

Sebelski CA, Hoogenboom BJ, Hayes AM, Bradford EH, Wainwright SF, Huhn K. 2020. The intersection of movement and clinical reasoning: Embodying "body as teacher" to advance the profession and practice. Phys Ther 100:201–204.

Shead D, Roos R, Olivier B, Ihunwo AO. 2016. Gross anatomy curricula and pedagogical approaches for undergraduate physiotherapy students: A scoping review protocol. JBI Database System Rev Implement Rep 14:98–104.

Shead DA, Roos R, Olivier B, Ihunwo AO. 2018. Gross anatomy education for South African undergraduate physiotherapy students. Anat Sci Educ 11:554–564.

Shepard KF, Jenson GM. 1990. Physical therapist curricula for the 1990's: Educating the reflective practitioner. Phys Ther 70:566–572.

Shields RK. 2017. Turning over the hourglass. Phys Ther 97:949–963.

Simons A. 2019. A relational investigation: Board-certified physical therapists and their knowledge of anatomy. The Ohio State University: Columbus, OH: Doctorate of Philosophy Dissertation. 178 p.

Simons AC, McHugh KM, Appling A, Harris SL, Burgoon JM. 2020. Instructional approaches: Anatomy education of physical therapists. Anat Sci Educ (in press; doi: 10.1002/ase.2037).

Smith CF, Martinez-Alvarez C, McHanwell S. 2014. The context of learning anatomy: Does it make a difference? J Anat 224:270–278.

Snyder AP, Duvall EN. 1950. An experimental examination designed to measure selected objectives of physical therapy education. Phys Ther 30:83–91.

Spitznagle TM, Sahrmann S. 2011. Diagnosis and treatment of 2 adolescent female athletes with transient abdominal pain during running. J Sport Rehabil 20:228–249.

Swisher LL, Page CG. 2005. The physical therapist as educator. In: Swisher LL, Page CG. Professionalism in Physical Therapy: History, Practice, and Development. 1st Ed. St. Louis, MO: Elsevier/Sounders. p 129–148.

Sytsma TT, Haller EP, Youdas JW, Krause DA, Hellyer NJ, Pawlina W, Lachman N. 2015. Long-term effect of a short interprofessional education interaction between medical and physical therapy students. Anat Sci Educ 8:317–323.

Teherani A, Chen HC. 2014. The next steps in competency-based medical education: Milestones, entrustable professional activities and observable practice activities. J Gen Intern Med 29:1090-1092.

ten Cate O. 2005. Entrustability of professional activities and competency-based training. Med Educ 39:1167–1177.

ten Cate O. 2006. Trust, competence, and the supervisor's role in postgraduate training. BMJ 333:748–751.

Timmerberg JF, Dole R, Silberman N, Goffar SL, Mathur D, Miller A, Murray L, Pelletier D, Simpson MS, Stolfi A, Thompson A, Utzman R. 2019. Physical therapist student readiness for entrance into the first full-time clinical experience: A Delphi study. Phys Ther 99:131–146.

van der Sijde PC, Sellink WJL, Wurms RJ. 1987. Developing audiovisuals for problem solving in physical therapy education. Phys Ther. 67:554–557.

Van Sant A. 2017. Movement system diagnosis. J Neurol Phys Ther 41:S10–S16

Wade DT, Halligan P. 2003. New wine in old bottles: The WHO ICF as an explanatory model of human behaviour. Clin Rehabil 17:349–354.

Warm EJ, Mathis BR, Held JD, Pai S, Tolentino J, Ashbrook L, Lee CK, Lee D, Wood S, Fichtenbaum CJ, Schauer D, Munyon R, Mueller C. 2014. Entrustment and mapping of observable practice activities for resident assessment. J Gen Intern Med 29:1177–1182.

WCPT. 2011. World Confederation for Physiotherapy. Physical Therapist Professional Entry Level Education: Guideline. 1st Ed. London, UK: World Physiotherapy. 37 p. URL: https://world.physio/sites/default/files/2020-07/G-2011-Entry-level-education.pdf [accessed 16 August 2020].

Webb AL, Green RA, Woodley SJ. 2019. The development of a core syllabus for teaching musculoskeletal anatomy of the vertebral column and limbs to medical students. Clin Anat 32:974–1007.

WHO. 2001. World Health Organization. International classification of functioning, disability and health: ICF. World Health Organization, Geneva, Switzerland. URL: https://apps.who.int/iris/handle/10665/42407 [accessed 16 August 2020].

Williams RG, Dunnington GL, Mellinger JD, Klamen DL. 2015. Placing constraints on the use of the ACGME milestones: A commentary on the limitations of global performance ratings. Acad Med 90:404–407.

Wilson R, Godfrey CM, Sears K, Medves J, Ross-White A, Lambert N. 2015. Exploring conceptual and theoretical frameworks for nurse practitioner education: A scoping review protocol. JBI Database System Rev Implement Rep 13:146–155.

Wolden M, Hill B, Voorhes S. 2020. Predicting success for student physical therapists on the national physical therapy examination: Systematic review and meta-analysis. Phys Ther 100:73–89.

Worthingham CA. 1968. Curriculum patterns for basic physical therapy education compared with six selected undergraduate fields. Phys Ther 48:7–20.

Youdas JW, Krause DA, Hellyer NJ, Rindflesch AB, Hollman JH. 2013. Use of individual feedback during human gross anatomy course for enhancing professional behaviors in doctor of physical therapy students. Anat Sci Educ 6:324–331.

Youdas JW, Krause DA, Hellyer NJ. 2015. Teaching anatomy to students in a physical therapy education program. In: Chan LK, Pawlina W (Editors). Teaching Anatomy: A Practical Guide. 1st Ed. New York, NY: Springer International Publishing. p 373–380.

 \bigcirc

ACCE

Table 1: Proposed Threshold Concepts in for Physical Therapist Anatomy Education with Consideration of the Movement

 System Theory and Anatomical Competence

Threshold Concept	Brief Description	Domain(s) of Competence ^a	Link To APTA Minimum Required Entry-Level Physical Therapy Skills ^b
Fluency	 Appropriate terminology and comprehension, including health literacy and effective patient communication 	CommunicationKnowledge for practice	 Examination/Reexaminatio n Evaluation Plan of care Consultation Evidence-based practice Communication
Dimensionality	 Human structure in consideration of dimensionality, axes of movement, and the anatomic and functional relationships 	 Knowledge for practice Clinical reasoning Systems-based practice 	 Systems review screening Examination/Reexamination Diagnosis Prognosis Interventions Plan of care
Adaptability	• Tissue healing, biomechanics, posture,	Knowledge for practice	Systems review screening

ticle		flexibili
ed Al	Connectivity	 Muscle functio joint co extrem Motor, and inf
ccept	Complexity	 Bony processing compressions of the second se

lity, and movement Clinical reasoning Systems-based n . practice Diagnosis • Prognosis Interventions Plan of care Systems review screening e architecture, attachments, and Examination/Reexaminatio Knowledge for practice ons; the neurovascular supply; and • n omponents of the human Clinical reasoning • Diagnosis nities, head, neck, and trunk Systems-based ٠ Prognosis sensory, and autonomic innervation practice Interventions fluence of the body's structures Plan of care Systems review screening protections and areas of potential Examination/Reexaminatio ression or impingement, including a Knowledge for practice • ural understanding of pain n Clinical reasoning • ators by tissue type and location Diagnosis ٠ Systems-based • I location, anatomic variation, three-Prognosis practice sional relationship, and Interventions vascular supply of the viscera Plan of care

•

Examination/Reexaminatio

•

	Stability and Homeostasis	 Structure, function, and relationships of the human "cavities" (thoracic and abdominopelvic) pertaining to their physiologic and metabolic processes Maintenance of catabolic and anabolic responses to the external environment and internal set points through the autonomic nervous system 	 Knowledge for practice Clinical reasoning Systems-based practice 	 Systems review screening Examination/Reexamination Diagnosis Prognosis Interventions Plan of care
epted A	Progression or Development	 Anatomic, pathologic, and functional changes across the lifespan, including genetic or metabolic influences that may affect the human movement system 	 Knowledge for practice Clinical reasoning Systems-based practice 	 Systems review screening Examination/Reexaminatio n Diagnosis Prognosis Interventions Plan of care Promotion of health, wellness and prevention
ACC	Humanity	 Attitudes of humanity, empathy, ambiguity, respect for people and ethics in culturally diverse populations, and perspectives of disability, dysfunction and societal expectations and biases impact the 	 Knowledge for practice Clinical reasoning Systems-based practice 	 Plan of care Education Professionalism: Core Values Communication

movement system	•	Cultural competence
	•	Promotion of health,
		wellness and prevention

^aDomains of competence are based on Chesbro et al., (2018); ^bFor the APTA Minimum Required Entry-Level Physical Therapy Skills see APTA (2009).